			GarGraves Price List - Effective November 1, 2014			
Dka	Hom	Draduat	CorCrayon Bradust Discription			
Pkg. Qty.	5	Product No.	GarGraves Product Discription	Unit	Price	
uy.	Holes	110.	Special Track Products	Oilit	1 1106	
1	*	101-Gantry	37" Phantom Tinplate for use with Lionel Gantry Crane	each	27.50	
<u>:</u>	*		37" Phantom Stainless for use with Lionel Gantry Crane	each	29.80	
1	*		37" Regular Tinplate for use with Lionel Gantry Crane	each	27.50	
1	*	202-Gantry	37" Regular Stainless for use with Lionel Gantry Crane	each	29.80	
1	*	300-BK	Track Bumper - Black	each	29.80 13.50	
1	*	300-RD	Track Bumper - Red	each	13.50	
1	*	300-SY	Track Bumper -Safety Yellow	each	13.50	
1	1	310-1	Single Lane Grade Crossing Kit - Undecorated	each	12.95	
1	}	310-2	Two Lane Grade Crossing Kit - Undecorated	each	14.95	
1	Ì	310-3	Grade Crossing Single Lane Expansin Kit - Undecorated	each	12.95	
1		410-1	Single Lane Grade Crossing Kit - Brown	each	14.95	
1		410-2	Two Lane Grade Crossing Kit - Brown	each	16.95	
1		410-3	Grade Crossing Single Lane Expansin Kit - Brown	each	14.95	
1	*	401-Gantry	37" S-Gauge Tinplate for use with Lionel Gantry Crane	each	27.50	***************************************
1	*		37" S-Gauge Stainless for use with Lionel Gantry Crane	each	29.80	
1			37" 5-rail Trestle Track "Phantom" w/Tinplate rails - 3 inch ties	each	10.65	***************************************
1			37" 5-rail Trestle Track "Phantom" w/Stainless rails - 3 inch ties	each	12.40	
12	*	501-201	37" Standard & O-Gauge 5-rail w/Tinplated Rails	each	10.30	
			Inquire about other Multi gauges available or desired			
			OO-Gauge Flexible & Sectional with WOOD Ties			
			OO Three Rail			
12	*	711	37" Flexible OO-gauge Three rail w/Tinplated Rails	each	8.50	
8	*	42-711-SW	42" Diameter OO-gauge Three rail w/Tinplated Rails	each	8.35	
8	*	54-711-SW	54" Diameter OO-gauge Three rail w/Tinplated Rails	each	9.85	
8	*	63-711-SW	63" Diameter OO-gauge Three rail w/Tinplated Rails	each	10.45	
8	*	72-711-SW	72" Diameter OO-gauge Three rail w/Tinplated Rails	each	11.05	
			00-Two Rail			
12	*	715	37" Flexible OO-gauge Two rail w/Tinplated Rails	each	8.50	
8	*	42-715-SW	42" Diameter OO-gauge Two rail w/Tinplated Rails	each	8.35	
8	*	54-715-SW	54" Diameter OO-gauge Two rail w/Tinplated Rails	each	9.85	
8	*		63" Diameter OO-gauge Two rail w/Tinplated Rails	each	10.45	
8	*	72-715-SW	72" Diameter OO-gauge Two rail w/Tinplated Rails	each	11.05	
		<u> </u>	Layout Planning Aids			
1	ļ		RRTrack Layout Software	each	79.00	
1	*	VIDEO	GarGraves How to Lay GarGraves Track - VHS	each	3.00	
1	*	GG-DVD	GarGraves How to Lay GarGraves Track	each	7.95	
		ļ	O-Gauge Flexible "Phantom" Line with WOOD Ties			
	ļ		With Black "Phantom" Center Rail **			
50	*	101	Phantom" with Tinplated steel outside rails	each	8.95	
50	*	102	Phantom" with Stainless steel outside rails	each	10.25	
]		O-Gauge "Phantom" Line Track with WOOD Ties			
	ļ <u>.</u>	VACT 00 :0:	Sectional Curved Sections - 8 per Circle			
8	*		32" "Phantom" w/Tinplated Outside Rails	each	7.70	
8	*		32" "Phantom" w/Stainless Outside Rails	each	8.45	
8	*		42" "Phantom" w/Tinplated Outside Rails	each	8.75	
8	*		42" "Phantom" w/Stainless Outside Rails	each	9.50 9.85	
8	*		54" "Phantom" w/Tinplated Outside Rails	each		
8	*	WT-54-102	54" "Phantom" w/Stainless Outside Rails	each	10.60	

		,	3	,	
 					
			63" thru 106" 12 sections per circle		
12	*		63" "Phantom" w/Tinplated Outside Rails	each	8.05
12	*		63" "Phantom" w/Stainless Outside Rails	each	8.80
12	*		72" "Phantom" w/Tinplated Outside Rails	each	8.75
12	*		72" "Phantom"w/Stainless Outside Rails	each	9.50
12	*	WT-80-101	80" "Phantom" w/Tinplated Outside Rails	each	9.85
12	*	WT-80-102	80" "Phantom" w/Stainless Outside Rails	each	10.60
12		WT-89-101	89" "Phantom" w/Tinplated Outside Rails	each	10.80
12 12	*	WT-89-102	89" "Phantom" w/Stainless Outside Rails	each	11.55
12			96" "Phantom" w/Tinplated Outside Rails	each	11.20
12		WT-96-102	96" "Phantom" w/Stainless Outside Rails	each	11.95
12			106" "Phantom" w/Tinplated Outside Rails	each	11.45
12	*		106" "Phantom" w/Stainless outside Rails	each	12.20
		<u> </u>	113" thru 138" 16 sections per circle		
16		WT-113-101	113" "Phantom" w/Tinplated Outside Rails	each	9.15
16	*		113" "Phantom" w/Stainless outside Rails	each	9.90
16	~~~~~		120" "Phantom" w/Tinplated Outside Rails	each	9.55
16	*		120" "Phantom" w/Stainless outside Rails	each	10.30
16			128" "Phantom" w/Tinplated Outside Rails	each	11.20
16			128" "Phantom" w/Stainless outside Rails	each	11.95
16			138" "Phantom" w/Tinplated Outside Rails	each	11.45
16	*		138" "Phantom" w/Stainless Outside Rails	each	12.20
10		VV1-130-102	O-Gauge "Phantom" Line Straight Sections Rigid	Gacii	12.20
12		W/T 101 37	37" "Phantom" w/Tinplated Outside Rails	each	11.70
12			37" "Phantom" w/Stainless Outside Rails	each	12.45
12			24.8" "Phantom" w/Tinplated Outside Rails	,	8.30
	*	WT 101-24	24.8" "Phantom" w/Stainless Outside Rails	each	
12 12	*			each	8.90
12	*		12.4" "Phantom w/Tinplated Outside Rails	each	4.95
12	*		12.4" "Phantom" w/Stainless Outside Rails	each	5.35
12 12	*	WT-101-6	6.2" "Phantom" w/Tinplated Outside Rails	each	3.40
12		WT-102-6	6.2" "Phantom" w/Stainless Outside Rails	each	3.70
		4400	O-Gauge "Phantom" Line Switches with New DZ-2500 Switch Machine		77 75
1		1103	RH 100" Radius Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	77.75
1	*	1104	LH 100" Radius Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	77.75
1	*	1105	RH 100" Radius Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	80.90
1	*	1106	LH 100" Radius Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	80.90
1		1113	RH O-42 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	77.75
1	~~~~~	1114	LH O-42 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	77.75
1	*	1115	RH O-42 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	80.90
1	*	1116	LH O-42 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	80.90
1	*	1133	RH O-54 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	77.75
1	*	1134	LH O-54 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	77.75
1	*	1135	RH O-54 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	80.90
1	*	1136	LH O-54 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	80.90
1	*	1141	O-72 WYE Switch w/Tinplated outside rails & DZ-2500 Switch Machine	each	77.75
1	*	1142	O-72 WYE Switch w/Stainless outside rails & DZ-2500 Switch Machine	each	80.90
1	*	1143	RH O-72 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	77.75
1	*	1144	LH O-72 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	77.75
1	*	1145	RH O-72 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	80.90
1	*	1146	LH O-72 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	80.90

		O-Gauge "Phantom" Line Switches <> Operating Tracks & Terminal Track	S	
1	* 103	RH 100" Radius "Phantom" Manual switch w/Tinplated outside rails	each	46.60
1	* 104	LH 100" Radius "Phantom" Manual switch w/Tinplated outside rails	each	46.60
1	* 105	RH 100" Radius "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 106	LH 100" Radius "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 103-RC	RH 100" Radius "Phantom" Remote Control switch w/Tinplated outside rails	each	73.85
1	* 104-RC	LH 100" Radius "Phantom" Remote Control switch w/Tinplated outside rails	each	73.85
1	* 105-RC	RH 100" Radius "Phantom" Remote Control switch w/Stainless outside rails	each	77.00
1	* 106-RC	LH 100" Radius "Phantom" Remote Control switch w/Stainless outside rails	each	77.00
1	* 107	Remote Control Magnetic Uncoupling Section "Phantom" Tinplate	each	47.95
1	117	Compact Version, Remote Control Magnetic Uncoupling Section Tinplate	each	44.95
1	* 108	Remote Control Magnetic UC/UL for operating cars "Phantom" Tinplate	each	58.90
1	* 108-EM	Remote Control Magnetic UC/UL Same as 108 but w/magnet on end	each	58.90
1	* 109	Remote Control Magnetic Uncoupling Section "Phantom" Stainless	each	49.20
1	217	Compact Version, Remote Control Magnetic Uncoupling Section Stainless	each	46.20
1	* 110	Remote Control Magnetic UC/UL for operating cars Phantom Stainless	each	60.05
1	* 110-EM	Remote Control Magnetic UC/UL Same as 110 but w/magnet on end	each	60.05
1	* 111	Terminal/Accessory Control Section "Phantom" Tinplate	each	10.50
1	* 112	Terminal/Accessory Control Section "Phantom" Stainless	each	10.95
1	* 113	RH O-42 "Phantom" Manual switch w/Tinplated outside rails	each	46.60
1	* 114	LH O-42 "Phantom" Manual switch w/Tinplated outside rails	each	46.60
1	* 115	RH O-42 "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 116	LH O-42 "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 113-RC	RH O-42 "Phantom" Remote Control switch w/Tinplated outside rails	each	73.85
1	* 114-RC	LH O-42 "Phantom" Remote Remote switch w/Tinplated outside rails	each	73.85
1	* 115-RC	RH O-42 "Phantom" Remote Control switch w/Stainless outside rails	each	77.00
1	* 116-RC	LH O-42 "Phantom" Remote Control switch w/Stainless outside rails	each	77.00
1	* 118	Remote Operating Car Track & Terminal Section Phantom Tinplate	each	27.50
1	* 119	Remote Operating Car Track & Terminal Section Phantom Stainless	each	28.75
1	121	90 Degree Crossing "Phantom" w/Tinplated outside Rails	each	29.40
1	122	90 Degree Crossing "Phantom" w/Stainless outside Rails	each	31.75
1	* 133	R.H. O-54 "Phantom" Manual switch w/Tinplated outside rails	each	46.60
1	* 134	L.H. O-54 "Phantom" Manual switch w/Tinplated outside rails	each	46.60
	* 135	R.H. O-54 "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 136	L.H. O-54 "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 133-RC	R.H. O-54 "Phantom" Remote Control switch w/Tinplated outside rails	each	73.85
1	* 134-RC	L.H. O-54 "Phantom" Remote Control switch w/Tinplated outside rails	each	73.85
1	* 135-RC	R.H. O-54 "Phantom" Remote Control switch w/Stainless outside rails	each	77.00
1	* 136-RC	L.H. O-54 "Phantom" Remote Control switch w/Stainless outside rails	each	77.00
1	* 141	O-72 WYE "Phantom" Manual switch w/Tinplated outside rails	each	46.60
1	* 142	O-72 WYE "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 141-RC	O-72 WYE "Phantom" Remote Control switch w/Tinplated outside rails	each	73.85
1	* 142-RC	O-72 WYE "Phantom" Remote Control switch w/Stainless outside rails	each	77.00
1	* 143	R.H. O-72 "Phantom" Manual switch w/Tinplated outside rails	each	46.60
1	* 144	L.H. O-72 "Phantom" Manual switch w/Tinplated outside rails	each	46.60
1	* 145	R.H. O-72 "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 146	L.H. O-72 "Phantom" Manual switch w/Stainless outside rails	each	49.75
1	* 143-RC	R.H. O-72 "Phantom" Remote Control switch w/Tinplated outside rails	each	73.85
1	* 144-RC	L.H. O-72 "Phantom" Remote Control switch w/Tinplated outside rails	each	73.85
1	* 145-RC	R.H. O-72 "Phantom" Remote Control switch w/Stainless outside rails	each	77.00
1	* 146-RC	L.H. O-72 "Phantom" Remote Control switch w/Stainless outside rails	each	77.00

			O-Gauge Regular Line Flexible Track with Wood Ties			
			With all Bright Rails			
50	*	201	Regular GarGraves 3 rail with Tinplated rails	each	8.95	
50		202	Regular GarGraves 3 rail with Stainless Steel rails	each	10.25	
			O-Gauge Regular Line with Wood Ties			~~~~
			Sectional Curved Sections - 8 per Circle			
8	*	WT-32-201	32" Regular w/Three Tinplated Rails	each	7.70	
8	*	WT-32-202	32" Regular w/Three Stainless Rails	each	8.45	~~~~~
8	*	WT-42-201	42" Regular w/Three Tinplated Rails	each	8.75	
8 8	*	WT-42-202	42" Regular w/Three Stainless Rails	each	9.50	•••••
8	*	WT-54-201	54" Regular w/Three Tinplated Rails	each	9.85	
8	*	WT-54-202	54" Regular w/Three Stainless Rails	each	10.60	
			63" thru 106" - 12 sections per circle			
12	*	WT-63-201	63" Regular w/Three Tinplated Rails	each	8.05	
12	*		63" Regular w/Three Stainless Rails	each	8.80	
12	*		72" Regular w/Three Tinplated Rails	each	8.85	
12	*		72" Regular w/Three Stainless Rails	each	9.50	
12	*	WT-80-201	80" Regular w/Three Tinplated Rails	each	9.85	
12	*		80" Regular w/Three Stainless Rails	each	10.60	
12	*	WT-89-201	89" Regular w/Three Tinplated Rails	each	10.80	
12	*		89" Regular w/Three Stainless Rails	each	11.55	***********
12 12	*	WT-96-201	96" Regular /Three Tinplated Rails	each	11.20	
12			96" Regular w/Three Stainless Rails	each	11.95	
12	*		106" Regular w/Three Tinplated Rails	each	11.45	
12	*		106" Regular w/Three Stainless Rails	each	12.20	
			113" thru 138" - 16 sections per circle			
16	*	WT-113-201	113" Regular w/Three Tinplated Rails	each	9.15	
16 16	*	WT-113-202	113" Regular w/Three Stainless Rails	each	9.90	
16	*		120" Regular w/Three Tinplated Rails	each	9.55	
16	*	WT-120-202	120" Regular /Three Stainless Rails	each		
16	*	WT-128-201	128" Regular w/Three Tinplated Rails	each	10.30 11.20	
16		WT-128-202	128" Regular w/Three Stainless Rails	each	11.95	
16	*		138" Regular w/Three Tinplated Rails	each	11.45	
16	*	WT-138-202	138" Regular w/Three Stainless Rails	each	12.20	
			O-Gauge Regular Line Straight Sections Rigid			
12	*	WT-201-37	37" Regular Straight w/3 Tinplated	each	11.70	
12		WT-202-37	37" Regular Straight w/3 Stainless Rails	each	12.45	
12	*	WT-201-24	24.8" Regular Straight w/3 Tinplated Rails	each	8.30	
12	*		24.8" Regular Straight w/3 Stainless Rails	each	8.90	
12	*		12.4" Regular Straight w/3 Tinplated	each	4.95	
12	*	WT-202-12	12.4" Regular Straight w/3 Stainless Rails	each	5.35	~~~~~
12	*	WT-201-6	6.2" Regular Straight w/3 Tinplated Rails	each	3.40	
12	*	WT-202-6	6.2" Regular Straight w/3 Stainless Rails	each	3.70	
			O-Gauge Regular Line Switches with New DZ-2500 Switch Machine			
1	*	2203	RH 100" Radius Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	77.75	••••••
1	*	2204	LH 100" Radius Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	77.75	
1	*	2205	RH 100" Radius Switch w/Stainless Rails & DZ-2500 Switch Machine	each	80.90	~~~~~
1	*	2206	LH 100" Radius Switch w/Stainless Rails & DZ-2500 Switch Machine	each	80.90	
1	*	2213	RH O-42 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	77.75	
1	*	2214	LH O-42 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	77.75	
1	*	2215	RH O-42 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	80.90	
1	*	2216	LH O-42 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	80.90	
1	*	2233	RH O-54 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	77.75	
1	*	2234	LH O-54 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	77.75	

1	* 2235	RH O-54 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	80.90
1	* 2236	LH O-54 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	80.90
1	* 2241	O-72 WYE Switch w/Tinplated rails & DZ-2500 Switch Machine	each	77.75
1	* 2242	O-72 WYE Switch w/Stainless rails & DZ-2500 Switch Machine	each	80.90
1	* 2243	RH O-72 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	77.75
1	* 2244	LH O-72 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	77.75
1	* 2245	RH O-72 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	80.90
1	* 2246	LH O-72 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	80.90
·····!·····	2270	O-Gauge Regular Line Switches <> Operating Tracks & Terminal Tracks	Cacii	00.00
1	* 203	RH 100" Radius Regular Manual switch w/Tinplated rails	each	46.60
1	* 204	LH 100" Radius Regular Manual switch w/Tinplated rails	each	46.60
1	* 205	RH 100" Radius Regular Manual switch w/Stainless rails	each	49.75
	* 206	LH 100" Radius Regular Manual switch w/Stainless rails	each	49.75
1	* 203-RC			73.85
1	* 204-RC	RH 100" Radius Regular Remote Control switch w/Tinplated rails	each	73.85
1	204-110	LH 100" Radius Regular Remote Control switch w/Tinplated rails	each	
1	200-110	RH 100" Radius Regular Remote Control switch w/Stainless rails	each	77.00
1	200-110	LH 100" Radius Regular Remote Control switch w/Stainless rails	each	77.00
1	,201	Remote Control Magnetic Uncoupling section Tinplated rails	each	47.95
1	200	Remote Control Magnetic UC/UL for operating cars Tinplated rails	each	58.90
1	ZUU-LIVI	Remote Control Magnetic UC/UL Same as 208 but w/magnet on end	each	58.90
1	200	Remote Control Magnetic Uncoupling section Stainless rails	each	49.20
1	210	Remote Control Magnetic UC/UL for operating cars Stainless rails	each	60.05
1	* 210-EM	Remote Control Magnetic UC/UL Same as 210 but w/magnet on end	each	60.05
1	* 211	Terminal/Accessory Control Section Tinplated rails	each	10.50
1	* 212	Terminal/Accessory Control Section Stainless rails	each	10.95
1	* 213	RH O-42 Regular Manual switch w/Tinplated rails	each	46.60
1	* 214	LH O-42 Regular Manual switch w/Tinplated rails	each	46.60
1	* 215	RH O-42 Regular Manual switch w/Stainless rails	each	49.75
1	* 216	LH O-42 Regular Manual switch w/Stainless rails	each	49.75
1	* 213-RC	RH O-42 Regular Remote Control switch w/Tinplated rails	each	73.85
1	* 214-RC	LH O-42 Regular Remote Control switch w/Tinplated rails	each	73.85
1	* 215-RC	RH O-42 Regular Remote Control switch w/Stainless rails	each	77.00
1	* 216-RC	LH O-42 Regular Remote Control switch w/Stainless rails	each	77.00
1	* 218	Remote Operating Car Track & Terminal Section Regular Tinplate	each	27.50
1	* 219	Remote Operating Car Track & Terminal Section Regular Stainless	each	28.75
1	221	90 Degree Crossing w/Tinplated Rails	each	29.40
1	222	90 Degree Crossing w/Stainless Rails	each	31.75
1	* 233	R.H. O-54 Regular Manual switch w/Tinplated outside rails	each	46.60
1	* 234	L.H. O-54 Regular Manual switch w/Tinplated outside rails	each	46.60
1	* 235	R.H. O-54 Regular Manual switch w/Stainless outside rails	each	49.75
1	* 236	L.H. O-54 Regular Manual switch w/Stainless outside rails	each	49.75
1	* 233-RC	R.H. O-54 Regular Remote Control switch w/Tinplated rails	each	73.85
1	* 234-RC	L.H. O-54 Regular Remote Control switch w/Tinplated rails	each	73.85
1	* 235-RC	R.H. O-54 Regular Remote Control switch w/Stainless rails	each	77.00
1	* 236-RC	L.H. O-54 Regular Remote Control switch w/Stainless rails	each	77.00
1	* 243	R.H. O-72 Regular Manual switch w/Tinplated rails	each	46.60
1	* 244	L.H. O-72 Regular Manual switch w/Tinplated rails	each	46.60
1	* 245	R.H. O-72 Regular Manual switch w/Stainless rails	each	49.75
1	* 246	L.H. O-72 Regular Manual switch w/Stainless rails	each	49.75
1	* 241	O-72 WYE Regular Manual switch w/Tinplated outside rails	each	46.60
1	* 242	O-72 WYE Regular Manual switch w/stainless outside rails	each	49.75
1	* 241-RC	O-72 WYE Regular Remote Control switch w/Tinplated outside rails	each	73.85
1	* 242-RC	O-72 WYE Regular Remote Control switch w/Stainless outside rails	each	77.00

1	* 243-RC	R.H. O-72 Regular Remote Control switch w/Tinplated rails	each	73.85
1	* 244-RC	L.H. O-72 Regular Remote Control switch w/Tinplated rails	each	73.85
1	* 245-RC	R.H. O-72 Regular Remote Control switch w/Stainless rails	each	77.00
1	* 246-RC	L.H. O-72 Regular Remote Control switch w/Stainless rails	each	77.00
	210110	O-Gauge 2-Rail Flexible Track & Switches	Guori	11.00
50	* 301	2-Rail O-Gauge with Tinplated rails and Wood ties	each	8.30
50	* 302	2-Rail O-Gauge with Stainless rails and Wood ties	each	9.80
1	303	RH 2-Rail O-Gauge Manual switch w/Tinplated rails	each	39.85
1	304	LH 2-Rail O-Gauge Manual switch w/Tinplated rails	each	39.85
1	305	RH 2-Rail O-Gauge Manual switch w/Stainless rails	each	43.00
1	306	LH 2-Rail O-Gauge Manual switch w/Stainless rails	each	43.00
1	303-RC	RH 2-Rail O-Gauge Remote Control switch w/Tinplated rails	each	65.60
1	304-RC	LH 2-Rail O-Gauge Remote Control switch w/Tinplated rails	each	65.60
1	305-RC	RH 2-Rail O-Gauge Remote Control switch w/Stainless rails	each	68.75
1	306-RC	LH 2-Rail O-Gauge Remote Control switch w/Stainless rails	each	68.75
1	343	R.H. 72" O-2-rail Manual switch w/Tinplated rails	each	39.85
1	344	L.H. 72" O-2-rail Manual switch w/Tinplated rails	each	39.85
1	345	R.H. 72" O-2-rail Manual switch w/Stainless rails		43.00
1	346	L.H. 72" O-2-rail Manual switch w/Stainless rails	each	43.00
1	343-RC	R.H. 72" O-2-rail Manual Switch W/Stamless rails R.H. 72" O-2-rail Remote Control switch w/Tinplated rails	each	45.00 65.60
	343-RC 344-RC		each	65.60
1		L.H. 72" O-2-rail Remote Control switch w/Tinplated rails R.H. 72" O-2-rail Remote Control switch w/Stainless rails	each	
1	345-RC		each	68.75
	346-RC	L.H. 72" O-2-rail Remote Control switch w/Stainless rails S-Gauge 2-Rail with Wood Ties	each	68.75
50	* 401	S-Gauge with Tinplated rails	each	8.30
50	* 402	S-Gauge with Stainless rails	each	9.80
30	402	S-Gauge Curves - Wood Ties - Eight per Circle	Gauii	3.00
8	* 42-401SW	42" S-Gauge w/Tinplated Rails	each	7.95
8	* 42-402SW		each	8.70
8	* 54-401SW		each	9.55
	* 54-402SW		each	10.30
8	63-401SW	63" S-Gauge w/Tinplated Rails	each	10.80
8	* 63-402SW		each	11.15
8	72-401SW		each	11.60
8	* 72-401SW		each	12.35
0	12-4023	S-Gauge Straight Sections Rigid	eacii	12.33
12	401SW	37" S-Gauge w/Tinplated Rails	each	11.25
	* 402SW	37" S-Gauge w/Yniipiated Kalis	each	12.00
12 12	401SW-24		each	7.55
12	402SW-24		each	8.10
12	* 401SW-12		each	5.00
12	* 402SW-12		each	5.40
12	* 401SW-6	6.2" S-Gauge w/Tinplated Rails		3.25
12	* 402SW-6	6.2" S-Gauge w/stainless Rails	each	
12	402377-0	S-Gauge Switches	each	3.55
1	* 403	R.H. 42" S-Gauge Manual switch w/Tinplated rails	each	45.10
1	* 404	L.H. 42" S-Gauge Manual switch w/Tinplated rails	each	45.10
1	* 405	R.H. 42" S-Gauge Manual switch w/Stainless rails	each	48.25
1	* 406	L.H. 42" S-Gauge Manual switch w/Stainless rails	each	48.25
1	* 403-RC	R.H. 42" S-Gauge Remote Control switch w/Tinplated rails		70.85
1	* 404-RC	L.H. 42" S-Gauge Remote Control switch w/Tinplated rails	each	70.85
1	* 405-RC		each	74.00
		R.H. 42" S-Gauge Remote Control switch w/Stainless rails	each	
I į	* 406-RC	L.H. 42" S-Gauge Remote Control switch w/Stainless rails	each	74.00

		Standard Gauge Regular Line Flexible Track & Switches		
36	* 501	Standard Gauge Regular w/Tinplated rails and Wood ties	each	8.95
36	* 502	Standard Gauge Regular w/Stainless rails and Wood ties	each	10.50
1	503	R.H. 72 Standard Regular Manual w/Tinplated rails	each	50.55
1	504	L.H. 72" Standard Manual switch w/Tinplated rails	each	50.55
1	505	R.H. 72" Standard Manual switch w/Stainless rails	each	53.85
1	506	L.H. 72" Standard Manual switch w/Stainless rails	each	53.85
1	503-RC	R.H. 72" Standard Remote Control switch w/Tinplated rails	each	77.50
1	504-RC	L.H. 72" Standard Remote Control switch w/Tinplated rails	each	77.50
1	505-RC	R.H. 72" Standard Remote Control switch w/Stainless rails	each	80.80
1	506-RC	L.H. 72" Standard Remote Control switch w/Stainless rails	each	80.80
		Standard Gauge "Phantom" Line Flexible Track & Switches		0.00
36	* 601	Standard Gauge :Phantom" w/Tinplated rails and Wood ties	each ·	9.30
36	* 602	Standard Gauge "Phantom" w/Stainless outside rails and Wood ties	each	10.50
1	603	R.H. 72" Standard "Phantom" Manual switch w/Tinplated rails	each	50.55
1	604	L.H. 72" Standard "Phantom" Manual switch w/Tinplated rails	each	50.55
1	605	R.H. 72" Standard "Phantom" Manual switch w/Stainless rails	each	53.85
1	606	L.H. 72" Standard "Phantom Manual switch w/Stainless rails	each	53.85
1	603-RC	R.H. 72" Standard "Phantom Remote Control switch w/Tinplated rails	each	77.50
1	604-RC	L.H. 72" Standard "Phantom" Remote Control switch w/Tinplated rails	each	77.50
1	605-RC	R.H. 72" Standard "Phantom" Remote Control switch w/Stainless rails	each	80.80
1	606-RC	L.H. 72" Standard "Phantom" Remote Control switch w/Stainless rails	each	80.80
		No. 1 Gauge (G) 2-Rail Flexible Track & Switches		
36	* 701	No. 1 Gauge 2-Rail w/Tinplated rails and Wood ties	each	8.50
36	* 702	No. 1 Gauge 2-Rail w/Stainless rails and Wood ties	each	9.95
1	703	R.H. 72" #1-Gauge Manual switch w/Tinplated rails	each	50.55
1	704	L.H. 72" #1-Gauge Manual switch w/Tinplated rails	each	50.55
1	705	R.H. 72" #1-Gauge Manual switch w/Stainless rails	each	53.85
1	706	L.H. 72" #1-Gauge Manual switch w/Stainless rails	each	53.85
1	703-RC	R.H. 72" #1-Gauge Remote Control switch w/Tinplated rails	each	77.50
1	704-RC	L.H. 72" #1-Gauge Remote Control switch w/Tinplated rails	each	77.50
1	705-RC	R.H. 72" #1-Gauge Remote Control switch w/Stainless rails	each	80.80
1	706-RC	L.H. 72" #1-Gauge Remote Control switch w/Stainless rails	each	80.80
		Track Pins <> Strip Connectors <> Retaining Clips		
	800	GarGraves Insulating Pins	pkg/12	3.25
1	801	O-Gauge mating pins Lionel to GarGraves	pkg/12	4.85
1	802	O-27-Gauge mating pins Lionel to GarGraves	pkg/12	4.85
1	803	GarGraves track pins (Nickel Silver)	pkg/12	1.80
1	803-3	GarGraves Track Pins (1-oz Pkg. Approximately 80 pins)	1 oz.pk	7.00
1	910-4	Fit-Up Blades (Strip Track Connectors) Stainless Steel	pkg/25	4.00
1	901.25	Sectional Track Retaining Clips	pkg/25	1.75
1	901.5	Sectional Track Retaining Clips	pkg/50	2.50
1	901.1	Sectional Track Retaining Clips	pkg/100	3.75
		Midwest Cork Roadbed		
1	3016	O-Gauge Roadbed, 25 pieces per box, 75 feet, 3' x 5mm	box	54.75
1	3013	HO- Gauge Roadbed, 25 pieces per box, 75 feet, 3' x 5mm	box	39.75
1	3014	O & HO Sheets (box of 9) 5" x 36" x 5mm	box	37.71
1	3019	N-Gauge Roadbed, 25 pieces per box, 75 feet 3' x 3mm	box	24.75
1	3020	N-Gauge Sheets (box of 10) 3-1/4" x 36" x 3mm	box	23.90
		Miscellaneous		
1	001	Flexible track instruction	each	n/c
1	002	Product Catalog	each	n/c
1	LBB-GG	GarGraves Lighted Blinking Billboard	each	12.50
1	804	Ties Bundle/12 (Specify Gauge & with or without slots)	doz	0.95

1	*	810-8	8" Rail Load - Pkg. 12	Pkg/12	7.00
1	*	810-12	12" Rail Load - Pkg. 12	Pkg/12	8.00
1	*	805	Momentary contact push button switch	each	5.75
1	*	905	Zona Razor Saw #35-200	each	6.60
1	*	83985	GYROS 1/8" Mandrel for use with disks in Dremel Tool	each	5.15
1		93108	GYROS Reinforced Cutoff disks 2" diameter	pkg/2	6.95
1	New	O-BSP	O-Gauge Ballast Spreader	each	2.50
	New	S-BSP	S-Gauge Ballast Spreader	each	2.50
1	New	Tie-Ext	Switch Tie Extention	each	2.95
			Track Screws		
1	}	806-25	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/25	2.50
1		806-5	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/50	3.00
1		806-1	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/100	4.70
1		806-2	Track Screws, #4 x 3/8" Phillips Pan Head Black - Approx. Qty. 920	Pound	30.80
1		807-25	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/25	2.50
1		807-5	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/50	3.00
1		807-1	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/100	4.70
1		807-2	Track Screws, #4 x 1/2" Phillips Pan Head Black - Approx. Qty. 760	Pound	25.30
1		808-25	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/25	2.50
1		808-5	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/50	3.00
1		808-1	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/100	4.70
1		808-2	Track Screws, #4 x 3/4" Phillips Pan Head Black - Approx. Qty. 550	Pound	21.00
1		809-25	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/25	3.00
1		809-5	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/50	3.85
1		809-1	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/100	5.50
1		809-2	Track Screws, #4 x 1" Phillips Pan Head Black - Approx. Qty. 400	Pound	19.00
1			Wire		
			Pigtail connectors for power feed connections & Bulk Wire		
1	(8" Pigtail , 16 AWG, Black with GarGraves track pin	pkg/12	13.60
1	}	930B-24	8" Pigtail , 16 AWG, Black with GarGraves track pin	pkg/24	26.20
1		931B-12	8" Pigtail, 16 AWG, Black with Quick connect spade	pkg/12	13.60
1		931B-24	8" Pigtail , 16 AWG, Black with Quick connect spade	pkg/24	26.20
1		932B-12	8" Pigtail , 16 AWG, Black with Forked connector	pkg/12	26.20 13.60 26.20
1		932B-24	8" Pigtail , 16 AWG, Black with Forked connector	pkg/24	26.20
1			8" Pigtail , 16 AWG, White with GarGraves track pin	pkg/12	13.60
1		930W-24	8" Pigtail, 16 AWG, White with GarGraves track pin	pkg/24	26.20
1			8" Pigtail , 16 AWG, White with Quick connect spade	pkg/12	13.60
1 1		931W-24	8" Pigtail , 16 AWG, White with Quick connect spade	pkg/24	26.20
1			8" Pigtail, 16 AWG, White with Forked connector	pkg/12	13.60
1	ļ	932W-24	8" Pigtail , 16 AWG, White with Forked connector	pkg/24	26.20
1	ļ		8" Pigtail , 16 AWG, 6ea Black & White w/GarGraves track pin	pkg/12	13.95
1			8" Pigtail , 16 AWG, 6ea Black/White w/Quick connect spade	pkg/12	13.95
1			8" Pigtail , 16 AWG, 6ea Black/White w/Forked connector	pkg/12	13.95
1	*	3CW22-1	3-conductor 22-gauge flat wire Ylw, Red, Grn 100' spool	each	31.75
1		2CW18-1	2-conductor 18-gauge flat wire Blk,Wht 100' spool	each	39.90
1		3CW18-1	3-conductor 18-gauge flat wire Blk,Red,Wht 100' spool	each	51.45
ļ <u>.</u>	}	000 :	Stainless Steel Solderless Track Connectors		0.75
1		909-1	Stainless Connectors, 2 #909 & 1 #910-1	pkg/3	2.75
1 1		909	Stainless Connector for Outside Rails	pkg/3	2.75
1	}	910-1	Stainless Connector for Center Rail O-Gauge	pkg/3	2.75 2.75
1 1		910-2	Stainless Connector for Center Rail Standard Gauge	pkg/3	
<u> </u>		909-B	Stainless Connector for Outside Rails Bulk	pkg/7	50.00
1	1	910-B	Stainless Connector for Center Rail O-Gauge Bulk	pkg/7	50.00

		Tinplated Steel Solderless Track Connectors			
1	911-1	Tinplated Connectors 2 #911 & 1 #912-1	pkg/3	2.30	
1	911-12	Tinplated Connectors 1#911 & 1 #912-2 For use with S-Gauge track	pkg/2	1.80	
1	911	Tinplated Connector for Outside Rails	pkg/3	2.30	
1	912-1	Tinplated Connector for Center Rail O-Gauge	pkg/3	2.30	
1	912-2	Tinplated Connector for Center Rail Standard Gauge	pkg/3	2.30	
1	911-B	Tinplated Connectors for Outside Rails Bulk	pkg/7	40.00	
1	912-1B	Tinplated Connectors for Center Rail O-Gauge Bulk	pkg/7	40.00	
	0.2.5	Caboose Industries Ground Throws	P'\9' ·	10.00	
1	913	Ground Throw #208SSprung for O-Gauge .280" Travel	each	3.45	
1	914	Ground Throw #101RRigid for HO-Gauge .190" Travel	each	3.15	
1	915	Ground Throw #202-S–Sprung for HO-Gauge .190" Travel	each	3.30	
1	916	Ground Throw #105RRigid for N-Gauge .135" Travel	each	3.20	
1	917	Ground Throw #206SSprung for N-Gauge .135" Travel	each	3.40	
1	918	Ground Throw #107RRigid for O-Gauge .280" Travel	each	3.30	
1	919	Ground Throw #103RRigid for HO-Gauge .190" Travel	each	7.10	
1	920	Ground Throw #204SSprung for HO-Gauge .190" Travel	each	7.10	
	921	Ground Throw #2043Spring for HO-Gadge 190 Travel	· 4}·	4.30	
1	922	Ground Throw #109RRigid Stand for HO . 190 Travel Ground Throw #210S Sprung Stand for HO . 190" Travel	each each	4.50	
	922		eacii	4.30	
10	1499	Miniature Lamps - Screw Base Lamp - Clear - 14 volt	000h	0.80	
	 		each		
10	1400B	Lamp - Blue - 14 volt	each	0.80	
10 10	1400G	Lamp - Green - 14 volt	each	0.80	
	1400R	Lamp - Red - 14 volt	each	0.80	
10	1500	Lamp - Clear - 18 volt	each	0.80	
10	1500A	Lamp - Amber - 18 volt	each	0.80	
10	1500B	Lamp - Blue - 18 volt	each	0.80	
10	1500G	Lamp - Green - 18 volt	each	0.80	
10	1500R	Lamp - Red - 18 volt	each	0.80	
		Miniature Lamps - Bayonet Base	ļ		
10	1445	Lamp - Clear - 18 volt	each	0.80	
10	1445G	Lamp - Green - 18 volt	each	0.80	
10	1445R	Lamp - Red - 18 volt	each	0.80	
		Acme Switch Controllers & Terminal Panels for All Gauges			
		Switch Controller With Indicator Lights			
1	1894	Switch Controller with lights (flush mount)	each	18.90	
1	1888	Switch Controller with lights & surface mounting frame	each	19.80	
		Switch Control Panels for Flush Mounting w/o lights			
1	1303	To operate 3 switch machines	each	8.10	
1	1305	To operate 5 switch machines	each	11.60	
1	1307	To operate 7 switch machines	each	15.45	
		Switch Control Panels with Mounting Frame w/o lights			
1	1403	To operate 3 switch machines	each	9.55	
1	1405	To operate 5 switch machines	each	12.80	
1	1407	To operate 7 switch machines	each	16.75	
		Rix Products		}	
1	628-1	Undertable mounting bracket (Vertical)	each	3.99	
1	628-5	Undertable mounting bracket (Horizontal)	each	3.99	
		Z-STUFF for Trains - O Gauge Accessories			
1	* DZ-1000	Switch machine & Controller w/2 spring links (retrofit GarGraves & Custom switches	each	29.90	
1	* DZ-1002	Switch Controller w/red & green LED's	each	7.50	
1	* DZ-1003	Throw springs for GarGraves switches	pkg/5	2.60	
1	* DZ-1004	Throw springs for Curtis & Ross switches	pkg/5	2.60	

1	*	DZ-1005	Throw springs for Atlas O switches	pkg/5	2.60	
1 1	*	DZ-1008	SPDT Relay Module	each	16.50	
1		DZ-1010	Crossing Gate Set with 2 Block Signal Detectors	each	149.00	
1			Block Signal Detectors	pkg/2	32.00	
1			Speaker, 8 Ohm with enclosure	each	12.50	
1			Crossing Signal Set with 2 Block Detectors	each	115.00	
1			WigWag Signal with (2) Block Signal Detectors	each	165.00	
1	*	DZ-1040-LQ	Semaphore Lower Quadrant	each	85.00	
1	*	DZ-1040-UQ	Semaphore Upper Quadrant	each	85.00	
1	*		Three Light Signal	each	67.00	
1	*	DZ-1060	PRR Type Seven Light Position Signal	each	72.00	
1	*	DZ-1070	Trackside Sensor with 2 Outputs	each	28.00	
1	*		Trackside Sensor w/.0.9A Dual Solid State Relays	each	38.00	
1	*		Trackside Sensor w/Momentary 0.9A Dual Solid State Relays	each	38.00	
1			Color - Position Trackside Signal	each	70.00	
1	*		Siginal Bridge w/upper semaphore - 2 tracks	each	198.00	
1	*		Siginal Bridge w/3 color - 2 tracks	each	182.00	
1	*		Siginal Bridge w/7-light Pennsy signal 2-tracks	each	190.00	
1	*		Signal Bridge w/Color Position Signal - 2 Tracks	each	188.00	
1	*		Passenger Station Announcement System	each	162.50	
1	*		Sensors (2) for DZ-1200	pkg/2	7.75	
1			Barcode Supports for DZ-1200	each	8.25	
1			Barcode Strips 1-set for DZ-1200	each	9.00	
1			Trolley Stop & Controller Announcement System	each	138.00	·····
1					62.00	
			Auto-Reverse w/Horn or Stop control Water Tower Animator (Sound & Control Module)	each		
				each	67.00	
<u> </u>			Diesel Fueling Station Animator (Sound & Control Module)	each	69.00	
1	*	DZ-2001	Data Line Driver-TMCC	each	21.00	
1		DZ-2500	Switch Machine w/DZ-2502 & GarGraves, /Ross/Curtis & Atlas springs	each	39.90	
1	*	DZ-2502	Switch Machine Remote Controller	each	6.55	
1		DZ-2503	Bag, 5 Springs #103 for Curtis & Ross switches	each	1.98	
1	*		Bag, 5 Springs #104 for Atlas Switches	each	1.98	
1	*	DZ-2505	Bag, 5 Springs #105 for GarGraves Switches	each	1.98	
			Z-STUFF for Trains - S Gauge Signals			
1	*		S-Gauge Semaphore - Lower Quadrant	each	85.00	
1	*	DZ-1040-S-L	S-Gauge Semaphore - Upper Quadrant	each	85.00	
1	*	DZ-1050-S	S-Gauge 3 Light Signal	each	67.00	
1	*	DZ-1060-S	S-Gauge PRR Type Seven Light Position Signal	each	72.00	
1	*	DZ-1080-S	Color - Position Trackside Signal S-Gauge	each	70.00	
			Z-STUFF for Trains - G Gauge Signals			
1		DZ-1040L-G	Semaphore Signal - Lower Quadrant G-Gauge	each	99.50	
1			Semaphore Signal - Upper Quadrant G-Gauge	each	99.50	
1			3-Color Trackside Signal G-Gauge	each	75.00	
1			7-Light Trackside signal G-Gauge	each	79.50	~~~~
1			Color - Position Trackside Signal S-Gauge	each	79.50	
,			Circuitron Electronics			
1		800-6000	Tortoise Switch machine	each	19.95	~~~~~
1		800-7212	110 VAC Wall power pack with 12 VDC output Will power up to 30 Tortoise	each	14.95	
			N J International Switch Machines & Accessories	000/1		
1		6002	Throw spings (Pkg/2)	each	1.59	
1			Under Layout mounting kit (Pkg/2)	····		
1		6003	Under Layout mounting kit (Pkg/2)	each	4.99	

		NJ International Signals & Controls		
1	3000	Semaphore 3-light O-scale	each	59.99
1	3030	Type D Color light signal 3-light O-scale	each	39.99
1	3050	Tri-Color signal type G Hooded target O-scale	each	39.99
1	3060	Tri-Color double signal Type G Hooded target O-scale	each	59.99
1	3090	Crossbuck signal O-scale	each	29.99
1	3172	Crossing Gate Red/White Gate with Bar Type Arm	pair	49.95
		"Phantom" Line Sectional Track		
		With Black Plastic Ties		
		Curved Sections W/Tinplated Outside Rails		
		32" thru 72" 8 sections per circle		
8	* 32-101S	32" "Phantom" w/Tinplated Outside Rails	each	7.70
8	* 32-102S	32" "Phantom" ww/Stainless Outside Rails	each	8.45
8	* 42-101S	42" "Phantom" w/Tinplated Outside Rails	each	8.75
U	* 42-102S	42" "Phantom" w/Stainless Outside Rails	each	9.50
0	* 54-101S	54" "Phantom" w/Tinplated Outside Rails	each	9.85
8	* 54-102S	54" "Phantom" w/Stainless Outside Rails	each	10.60
8	63-101S	63" "Phantom" w/Tinplated Outside Rails	each	11.20
8	63-102S	63" "Phantom" w/Stainless Outside Rails	each	11.95
8	72-101S	72" "Phantom" w/Tinplated Outside Rails	each	11.95
8	72-102S	72" "Phantom"w/Stainless Outside Rails	each	11.95 12.80
		80" & over 12 sections per circle		
12	* 80-101S	80" "Phantom" w/Tinplated Outside Rails	each	9.85
12	* 80-102S	80" "Phantom" w/Stainless Outside Rails	each	10.60
12	89-101S	89" "Phantom" w/Tinplated Outside Rails	each	10.80
12	* 89-102S	89" "Phantom" w/Stainless Outside Rails	each	11.55
12	96-101S	96" "Phantom" w/Tinplated Outside Rails	each	11.55 11.20
12 12 12	96-102S	96" "Phantom" w/Stainless Outside Rails	each	11.95 11.45
12 12	106-101S	106" "Phantom" w/Tinplated Outside Rails	each	11.45
12	* 106-102S	106" "Phantom" w/Stainless Outside Rails	each	12.20
12	113-101S	113" "Phantom" w/Tinplated Outside Rails	each	12.10
12 12	113-102S	113" "Phantom" w/Stainless Otside Rails	each	12.95
12	120-101S	120" "Phantom" w/Tinplated Outside Rails	each	12.55
12	120-102S	120" "Phantom" w/Stainless Outside Rails	each	13.35
		Over 120" 16 sections per circle		
16	128-101S	128" "Phantom" w/Tinplated Outside Rails	each	11.20
16	128-102S	128" "Phantom" w/Stainless Outside Rails	each	11.95
16	138-101S	138" "Phantom" w/Tinplated Outside Rails	each	11.45
16	138-102S	138" "Phantom" w/Tinplated Outside Rails	each	12.30
		Straight Sections Rigid		
12	101S-37	37" "Phantom" w/Tinplated Outside Rails	each	11.70
12	102S-37	37" "Phantom w/Stainless Outside Rails	each	12.45
12	101S-24	24.8" "Phantom" w/Tinplated Outside Rails	each	8.30
12	102S-24	24.8" "Phantom" w/Stainless Outside Rails	each	8.95
12	* 101S-12	12.4" "Phantom w/Tinplated Outside Rails	each	4.95
	* 102S-12	12.4" "Phantom" w/Stainless Outside Rails	each	5.35
12	* 101S-6	6.2" "Phantom" w/Tinplated Outside Rails	each	3.40
12	* 102S-6	6.2" "Phantom" w-Stainless Outside Rails	each	3.70
		Straight Sections Flexible		
12	101F	37" "Phantom" w/Tinplated Outside Rails	each	10.80
12	* 102F	37" "Phantom" w/Stainless Outside Rails	each	11.55
		packed in cartons of 24 & 50 sections		

	1		O-Gauge Regular Line Sectional Track		
	}	·	Curved Sections with Black Plastic Ties		
			32" thru 72" 8 sections per circle		
8	*	32-201S	32" Regular w/Three Tinplated Rails	each	7.70
8	*	32-201S	32" Regular w/Three triplated trails 32" Regular w/Three Stainless Rails	each	8.45
8	*	42-201S	42" Regular w/Three Stanless Italis	each	8.75
8	*	42-2013 42-202S	42" Regular w/Three Triplated Rails 42" Regular w/Three Stainless Rails	each	9.50
	*	54-201S	54" Regular w/Three Starnless Rails		9.85
8 8 8	*	54-2013 54-202S		each	10.60
0	*		54" Regular w/Three Stainless Rails	each	11.20
	ļ	63-201S	63" Regular w/Three Tinplated Rails	each	11.95
8	*	63-202S	63" Regular w/Three Stainless Rails	each	
8	ļ	72-201S	72" Regular w/Three Tinplated Rails	each	11.95
8	{	72-202S	72" Regular w/Three Stainless Rails	each	12.80
	ļ	ļ	80 & over 12 sections per circle		
12	*	80-201S	80" Regular w/Three Tinplated Rails	each	9.85
12	*	80-202S	80" Regular w/Three Stainless Rails	each	10.60
12	*	89-201S	89" Regular w/Three Tinplated Rails	each	10.80
12	*	89-202S	89" Regular w/Three Stainless Rails	each	11.55
12	*	96-201S	96" Regular w/Three Tinplated Rails	each	11.20
12		96-202S	96" Regular w/Three Stainless Rails	each	11.95
12	*	106-201S	106" Regular w/Three Tinplated Rails	each	11.45
12 12	*	106-202S	106" Regular w/Three Stainless Rails	each	12.20
12	*	113-201S	113" Regular w/Three Tinplated Rails	each	12.10
12	} }	113-202S	113" Regular w/Three Stainless Rails	each	12.95
12	*	120-201S	120" Regular w/Three Tinplated Rails	each	12.55
12	ļ	120-202S	120" Regular w/Three Stainless Rails	each	13.35
12	}	120 2020	Over 120" 16 sections per circle	Cacii	10.00
16	*	128-201S	128" Regular w/Three Tinplated Rails	each	11.20
16	}	128-202S	128" Regular w/Three Stainless Rails	each	11.95
16	*	138-201S	138" Regular w/Three Stanliess Kalls 138" Regular w/Three Tinplated Rails		11.45
16	}	138-202S		each	12.30
10	ļ	130-2023	138" Regular w/Three Stainless Rails	each	12.30
10	*	2010	Straight Sections Rigid		11 70
12	Į	201S	37" Regular Straight w/Three Tinplated Rails	each	11.70
12	*	202S	37" Regular Straight w/Three Stainless Rails	each	12.45
12	*	201S-24	24.8" Regular Straight w/Three Tinplated Rails	each	8.30
12	*	202S-24	24.8" Regular Straight w/Three Stainless Rails	each	8.95 4.95
12	\$	201S-12	12.4" Regular Straight w/Three Tinplated Rails	each	
12	*	202S-12	12.4" Regular Straight w/Three Stainless Rails	each	5.35
12	*	201S-6	6.2" Regular Straight w/Three Tinplated Rails	each	3.40
12	*	202S-6	6.2" Regular Straight w/Three Stainless Rails	each	3.70
	<u></u>	<u> </u>	Straight Sections Flexible		
12	*	201F	37" Regular w/Three Tinplated Rails	each	10.80
12	*	202F	37" Regular w/Three Stainless Rails	each	11.55
Straigh	nt 37" se	ections also p	packed in cartons of 24 & 50 sections		
	L		Standard Gauge Regular Line Sectional Track		
		}	With Plastic Ties		
8	}	63-501S	63" Standard w/Tinplated Rails	each	13.35
8	}	63-502S	63" Standard w/Stainless Rails	each	14.45
8		72-501S	72" Standard w/Tinplated Rails	each	14.65
8	} }	72-502S	72" Standard w/Stainless Rails	each	15.75

		80" & over 12 sections per circle	
12	80-501S	80" Standard w/Tinplated Rails	each 12.00
12	80-502S	80" Standard w/Stainless Rails	each 13.10
12	89-501S	89" Standard w/Tinplated Rails	each 12.90
12	89-502S	89" Standard w/Stainless Rails	each 14.10
12	96-501S	96" Standard w/Tinplated Rails	each 13.35
12	96-502S	96" Standard w/Stainless Rails	each 14.45
12	106-501S	106" Standard w/Tinplated Rails	each 14.35
12 12 12	106-502S	106" Standard w/Stainless Rails	each 15.55
12	113-501S	113" Standard w/Tinplated Rails	each 15.55 each 14.75
12	113-502S	113" Standard w/Stainless Rails	each 15.90
12	120-501S	120" Standard w/Tinplated Rails	each 15.10
12	120-502S	120" Standard w/Stainless Rails	each 16.35
	120 0020	Over 120" 16 sections per circle	10.00
16	128-501S	128" Standard w/Tinplated Rails	each 13.35
16	128-502S	128" Standard w/Stainless Rails	each 14.45
16	138-501S	138" Standard w/Tinplated Rails	each 14.00
16	138-502S	138" Standard w/Stainless Rails	each 15.20
		Straight Sections Rigid	
12	501S	37" Regular w/Tinplated Rails	each 15.45
12	502S	37" Regular w/Stainless Rails	each 16.55
12 12	501S-24	24.8" Regular w/Tinplated Rails	each 10.80
12	502S-24	24.8" Regular w/Stainless Rails	each 11.60
12	501S-12	12.4" Regular w/Tinplated Rails	each 5.90
12	502S-12	12.4" Regular w/Stainless Rails	each 6.30
12	501S-6	6.2" Regular w/Tinplated Rails	each 3.40
12	502S-6	6.2" Regular w/Stainless Rails	each 3.85
		Straight Sections Flexible	
12 12	501F	37" Regular w/Tinplated Rails	each 14.55
12	502F	37" Regular w/Stainless Rails	each 15.70
		Standard Phantom Line Sectional	
	62 6040	With Black Center Rail & Plastic Ties	44.05
8	63-601S	63" "Phantom" w/Tinplated Outside Rails	each 14.25
8 8	63-602S	63" "Phantom" w/Stainless Outside Rails	each 14.45
	72-601S	72" "Phantom" w/Tinplated Outside Rails	each 14.30
8	72-602S	72" "Phantom" w/Stainless Outside Rails	each 15.75
10	80-601S	80" & over 12 sections per circle 80" "Phantom" w/Tinplated Outside Rails	
12	80-601S 80-602S		each 12.40 each 13.10
12 12	89-601S	80" "Phantom" w/Stainless Outside Rails 89" "Phantom" w/Tinplated Outside Rails	······································
12	89-602S		······
12	96-601S	89" "Phantom" w/Stainless Outside Rails 96" "Phantom" w/Tinplated Outside Rails	
12	96-602S	96" "Phantom" w/Stainless Outside Rails	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
12	96-602S 106-601S		
	106-601S 106-602S	106" "Phantom" w/Tinplated Outside Rails	
12	~~~~~~~	106" "Phantom" w/Stainless Outside Rails	each 15.55
12	113-601S	113" "Phantom"w/Tinplated Outside Rails	each 15.10
12 12	113-602S 120-601S	113" "Phantom" w/Stainless Outside Rails 120" "Phantom" w/Tinplated Outside Rails	each 15.90 each 15.55
	120-601S 120-602S	120 Phantom W/Inplated Outside Rails 120" "Phantom" w/Stainless Outside Rails	··-·
12	120-0025	Over 120" 16 sections per circle	each 16.35
16	128-601S	128" "Phantom" w/Tinplated Outside Rails	each 13.75
	128-602S	128 "Phantom" w/Stainless Outside Rails	
16 16	120-002S 138-601S	126 Phantom W/Stainless Outside Rails 138" "Phantom" w/Tinplated Outside Rails	
16	138-602S	138 "Phantom" w/Stainless Outside Rails	
IÜ	130-0025	130 FHAITUIN W/Stainless Outside Kalls	each 15.20

		Straight Sections Rigid		
12	601S	37" " Phantom" w/Tinplated Outside Rails	each	15.75
12	602S	37" "Phantom" w/Stainless Outside Rails	each	16.55
12	601S-24	24.8" "Phantom w/Tinplated Outside Rails	each	11.15
12	602S-24	24.8" "Phantom" w/Stainless Outside Rails	each	11.60
12	601S-12	12.4" "Phantom" w/Tinplated Outside Rails	each	6.15
12	602S-12	12.4" "Phantom" w/Stainless Outside Rails	each	6.30
12	601S-6	6.2" "Phantom" w/Tinplated Outside Rails	each	3.70
12	602S-6	6.2" "Phantom" w/Stainless Outside Rails	each	3.85
		Straight Sections Flexible		
12	601F	37" "Phantom" w/Tinplated Outside Rails	each	14.95
12	602F	37" "Phantom" w/Stainless Outside Rails	each	15.70
		Switch Transition Offset Sections for Parallel Tracks		
		Specify desired center to center distance for 100" radius Switch		
		Made With PLASTIC Ties Only		
1	TR-101	"Phantom" w/tinplated outside rails 3.5, 4.21 or 5"	each	9.80
1	TR-102	"Phantom" w/stainless outside rails 3.5, 4.21 or 5"	each	10.55
1	TR-201	Regular w/tinplated rails 3.5, 4.21 or 5"	each	9.40
1	TR-202	Regular w/stainless rails 3.5, 4.21 or 5"	each	10.55
		0-42 Switch transition section 4.21" Centers		
1	TR-113/4	"Phantom" w/tinplated outside rails	each	5.85
1	TR-115/6	"Phantom" w/stainless outside rails	each	6.85
1	TR-213/4	Regular w/tinplated rails	each	5.45
1	TR-215/6	Regular w/stainless rails	each	6.85
		O-54 Switch transition section 5.45" Centers		
1	TR-133/4	"Phantom" w/tinplated outside rails	each	7.45
1	TR-135/6	"Phantom" w/stainless outside rails	each	8.30
1	TR-233/4	Regular w/tinplated rails	each	7.15
1	TR-235/6	Regular w/stainless rails	each	8.30
		O-72 Switch transition section 4.57" Centers		
1	TR-143/4	"Phantom" w/tinplated outside rails	each	7.45
1	TR-145/6	"Phantom" w/stainless outside rails	each	8.30
1	TR-243/4	Regular w/tinplated rails	each	7.15
1	TR-245/6	Regular w/stainless rails	each	8.30
		O-72 WYE Switch transition section 6.89" Centers	333.	
1	TR-141	72 WYE "Phantom" w/tinplated outside rails	each	7.45
1	TR-142	72 WYE "Phantom" w/stainless outside rails	each	8.30
1	TR-241	72 WYE Regular w/tinplated rails	each	7.15
1	TR-242	72 WYE Regular w/stainless rails	each	8.30
		S-42 Switch transition section - 4.21" Centers - Wood Ties Only		
1	TR-403/4 S-	Gauge Regular with Tinplated Rails	each	5.25
1		Gauge Regular with Stainless Rails	each	5.75
		Standard Gauge Switch transition sections available in 8" only	303	
1	TR-503/4	Regular w/tinplated rails Std.	each	7.60
1	TR-505/6	Regular w/stainless rails Std.	each	8.70
1	TR-603/4	"Phantom" w/tinplated rails Std.	each	7.85
1	TR-605/6	"Phantom" w/stainless rails Std.	each	8.70
	111 000/0	0-54 Switch Makeup Curves	Juon	5.10
1	MU-101-54	O54 Makeup curve "Phantom" Tinplate	each	7.25
1	MU-102 54	O-54 Makeup curve "Phantom" Stainless	each	8.00
	110 102 04	0-72 Switch Makeup Curves for Plastic Tie Track	Juon	3.00
1	MU-101-72	Makeup curve "Phantom" Tinplate	each	7.85
1		Makeup curve "Phantom" Stainless	each	8.60
1		Makeup curve Regular Tinplate	each	7.60
1		Makeup curve Regular Stainless	each	8.60

	O-72 Switch Makeup Curves for Wood Tie Track			
1	WT-MU-101∮Makeup curve "Phantom" Tinplate	each	7.25	
1	∛WT-MU-102∛Makeup curve "Phantom" Stainless	each	8.00	
1	WT-MU-201{Makeup curve Regular Tinplate	each	7.05	
1	WT-MU-202 Makeup curve Regular Stainless	each	8.00	