

Pkg.	Item	Product	GarGraves Product Description		
Qty.	Notes	No.		Unit	Price
Special Track Products					
1		101-Gantry	37" Phantom Tinplate for use with Lionel Gantry Crane	each	26.00
1		102-Gantry	37" Phantom Stainless for use with Lionel Gantry Crane	each	28.30
1		201-Gantry	37" Regular Tinplate for use with Lionel Gantry Crane	each	26.00
1		202-Gantry	37" Regular Stainless for use with Lionel Gantry Crane	each	28.30
1		300-BK	Track Bumper - Black	each	12.45
1		300-RD	Track Bumper - Red	each	12.45
1		300-SY	Track Bumper -Safety Yellow	each	12.45
1	New	310-1	Single Lane Grade Crossing Kit - Undecorated	each	12.95
1	New	310-2	Two Lane Grade Crossing Kit - Undecorated	each	14.95
1	New	310-3	Grade Crossing Single Lane Expansin Kit - Undecorated	each	12.95
1	New	410-1	Single Lane Grade Crossing Kit - Brown	each	14.95
1	New	410-2	Two Lane Grade Crossing Kit - Brown	each	16.95
1	New	410-3	Grade Crossing Single Lane Expansin Kit - Brown	each	14.95
1		401-Gantry	37" S-Gauge Tinplate for use with Lionel Gantry Crane	each	26.00
1		402-Gantry	37" S-Gauge Stainless for use with Lionel Gantry Crane	each	28.30
1	*	101-Trestle	37" 5-rail Trestle Track "Phantom" w/Tinplate rails - 3 inch ties	each	10.15
1	*	102-Trestle	37" 5-rail Trestle Track "Phantom" w/Stainless rails - 3 inch ties	each	11.90
12	*	501-201	37" Standard & O-Gauge 5-rail w/Tinplated Rails	each	8.80
Inquire for other Multi gauges available or desired					
OO-Gauge Flexible & Sectional with WOOD Ties					
OO Three Rail					
12	*	711	37" Flexible OO-gauge Three rail w/Tinplated Rails	each	7.35
8	*	42-711-SW	42" Diameter OO-gauge Three rail w/Tinplated Rails	each	7.85
8	*	54-711-SW	54" Diameter OO-gauge Three rail w/Tinplated Rails	each	10.25
8	*	63-711-SW	63" Diameter OO-gauge Three rail w/Tinplated Rails	each	10.80
8	*	72-711-SW	72" Diameter OO-gauge Three rail w/Tinplated Rails	each	11.60
OO-Two Rail					
12	*	715	37" Flexible OO-gauge Two rail w/Tinplated Rails	each	7.35
8	*	42-715-SW	42" Diameter OO-gauge Two rail w/Tinplated Rails	each	7.85
8	*	54-715-SW	54" Diameter OO-gauge Two rail w/Tinplated Rails	each	10.25
8	*	63-715-SW	63" Diameter OO-gauge Two rail w/Tinplated Rails	each	10.80
8	*	72-715-SW	72" Diameter OO-gauge Two rail w/Tinplated Rails	each	11.60
Layout Planning Aids					
1		RRT-40A	RRTrack Layout Software	each	79.00
1		VIDEO	GarGraves How to Lay GarGraves Track	each	9.95
		GG-DVD	GarGraves How to Lay GarGraves Track	each	9.95
O-Gauge Flexible "Phantom" Line with WOOD Ties					
With Black "Phantom" Center Rail **					
50	*	101	Phantom" with Tinplated steel outside rails	each	7.80
50	*	102	Phantom" with Stainless steel outside rails	each	9.35
O-Gauge "Phantom" Line Track with WOOD Ties					
Sectional Curved Sections - 8 per Circle					
8	*	WT-32-101	32" "Phantom" w/Tinplated Outside Rails	each	7.20
8	*	WT-32-102	32" "Phantom" w/Stainless Outside Rails	each	8.00
8	*	WT-42-101	42" "Phantom" w/Tinplated Outside Rails	each	8.25
8	*	WT-42-102	42" "Phantom" w/Stainless Outside Rails	each	9.05
8	*	WT-54-101	54" "Phantom" w/Tinplated Outside Rails	each	10.55

8	*	WT-54-102	54" "Phantom" w/Stainless Outside Rails	each	11.40
			63" thru 106" 12 sections per circle		
12	*	WT-63-101	63" "Phantom" w/Tinplated Outside Rails	each	7.55
12	*	WT-63-102	63" "Phantom" w/Stainless Outside Rails	each	8.10
12	*	WT-72-101	72" "Phantom" w/Tinplated Outside Rails	each	8.10
12	*	WT-72-102	72" "Phantom" w/Stainless Outside Rails	each	8.70
12	*	WT-80-101	80" "Phantom" w/Tinplated Outside Rails	each	10.30
12	*	WT-80-102	80" "Phantom" w/Stainless Outside Rails	each	11.10
12	*	WT-89-101	89" "Phantom" w/Tinplated Outside Rails	each	10.80
12	*	WT-89-102	89" "Phantom" w/Stainless Outside Rails	each	11.60
12	*	WT-96-101	96" "Phantom" w/Tinplated Outside Rails	each	11.20
12	*	WT-96-102	96" "Phantom" w/Stainless Outside Rails	each	11.95
12	*	WT-106-101	106" "Phantom" w/Tinplated Outside Rails	each	11.45
12	*	WT-106-102	106" "Phantom" w/Stainless outside Rails	each	12.30
			113" thru 138" 16 sections per circle		
16	*	WT-113-101	113" "Phantom" w/Tinplated Outside Rails	each	9.15
16	*	WT-113-102	113" "Phantom" w/Stainless outside Rails	each	9.80
16	*	WT-120-101	120" "Phantom" w/Tinplated Outside Rails	each	9.55
16	*	WT-120-102	120" "Phantom" w/Stainless outside Rails	each	10.15
16	*	WT-128-101	128" "Phantom" w/Tinplated Outside Rails	each	11.20
16	*	WT-128-102	128" "Phantom" w/Stainless outside Rails	each	11.95
16	*	WT-138-101	138" "Phantom" w/Tinplated Outside Rails	each	11.45
16	*	WT-138-102	138" "Phantom" w/Stainless Outside Rails	each	12.30
			O-Gauge "Phantom" Line Straight Sections Rigid		
12	*	WT-101-37	37" "Phantom" w/Tinplated Outside Rails	each	11.70
12	*	WT-102-37	37" "Phantom" w/Stainless Outside Rails	each	12.45
12	*	WT-101-24	24.8" "Phantom" w/Tinplated Outside Rails	each	8.30
12	*	WT-102-24	24.8" "Phantom" w/Stainless Outside Rails	each	8.95
12	*	WT-101-12	12.4" "Phantom" w/Tinplated Outside Rails	each	4.80
12	*	WT-102-12	12.4" "Phantom" w/Stainless Outside Rails	each	5.10
12	*	WT-101-6	6.2" "Phantom" w/Tinplated Outside Rails	each	3.05
12	*	WT-102-6	6.2" "Phantom" w/Stainless Outside Rails	each	3.15
			O-Gauge "Phantom" Line Switches with New DZ-2500 Switch Machine		
1		1103	RH 100" Radius Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	74.75
1		1104	LH 100" Radius Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	74.75
1		1105	RH 100" Radius Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	77.90
1		1106	LH 100" Radius Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	77.90
1		1113	RH O-42 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	74.75
1		1114	LH O-42 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	74.75
1		1115	RH O-42 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	77.90
1		1116	LH O-42 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	77.90
1		1133	RH O-54 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	74.75
1		1134	LH O-54 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	74.75
1		1135	RH O-54 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	77.90
1		1136	LH O-54 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	77.90
1		1141	O-72 WYE Switch w/Tinplated outside rails & DZ-2500 Switch Machine	each	74.75
1		1142	O-72 WYE Switch w/Stainless outside rails & DZ-2500 Switch Machine	each	77.90
1		1143	RH O-72 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	74.75
1		1144	LH O-72 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	74.75
1		1145	RH O-72 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	77.90
1		1146	LH O-72 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	77.90
			O-Gauge "Phantom" Line Switches <> Operating Tracks & Terminal Tracks		

1		103	RH 100" Radius "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		104	LH 100" Radius "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		105	RH 100" Radius "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		106	LH 100" Radius "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		103-RC	RH 100" Radius "Phantom" Remote Control switch w/Tinplated outside rails	each	70.85
1		104-RC	LH 100" Radius "Phantom" Remote Control switch w/Tinplated outside rails	each	70.85
1		105-RC	RH 100" Radius "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
		106-RC	LH 100" Radius "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
1		107	Remote Control Magnetic Uncoupling Section "Phantom" Tinplate	each	41.95
1	New	117	Compact Version, Remote Control Magnetic Uncoupling Section Tinplate	each	39.95
1		108	Remote Control Magnetic UC/UL for operating cars "Phantom" Tinplate	each	47.90
1		108-EM	Remote Control Magnetic UC/UL Same as 108 but w/magnet on end	each	47.90
1		109	Remote Control Magnetic Uncoupling Section "Phantom" Stainless	each	43.20
1	New	217	Compact Version, Remote Control Magnetic Uncoupling Section Stainless	each	41.20
1		110	Remote Control Magnetic UC/UL for operating cars Phantom Stainless	each	49.05
1		110-EM	Remote Control Magnetic UC/UL Same as 110 but w/magnet on end	each	49.05
1		111	Terminal/Accessory Control Section "Phantom" Tinplate	each	10.15
1		112	Terminal/Accessory Control Section "Phantom" Stainless	each	10.55
1		113	RH O-42 "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		114	LH O-42 "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		115	RH O-42 "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		116	LH O-42 "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		113-RC	RH O-42 "Phantom" Remote Control switch w/Tinplated outside rails	each	70.85
1		114-RC	LH O-42 "Phantom" Remote Remote switch w/Tinplated outside rails	each	70.85
1		115-RC	RH O-42 "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
1		116-RC	LH O-42 "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
1		118	Remote Operating Car Track & Terminal Section Phantom Tinplate	each	24.85
1		119	Remote Operating Car Track & Terminal Section Phantom Stainless	each	26.10
1		121	90 Degree Crossing "Phantom" w/Tinplated outside Rails	each	29.40
1		122	90 Degree Crossing "Phantom" w/Stainless outside Rails	each	31.75
1		133	R.H. O-54 "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		134	L.H. O-54 "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		135	R.H. O-54 "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		136	L.H. O-54 "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		133-RC	R.H. O-54 "Phantom" Remote Control switch w/Tinplated outside rails	each	70.85
1		134-RC	L.H. O-54 "Phantom" Remote Control switch w/Tinplated outside rails	each	70.85
1		135-RC	R.H. O-54 "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
1		136-RC	L.H. O-54 "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
1		141	O-72 WYE "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		142	O-72 WYE "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		141-RC	O-72 WYE "Phantom" Remote Control switch w/Tinplated outside rails	each	70.85
1		142-RC	O-72 WYE "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
1		143	R.H. O-72 "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		144	L.H. O-72 "Phantom" Manual switch w/Tinplated outside rails	each	45.10
1		145	R.H. O-72 "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		146	L.H. O-72 "Phantom" Manual switch w/Stainless outside rails	each	48.25
1		143-RC	R.H. O-72 "Phantom" Remote Control switch w/Tinplated outside rails	each	70.85
1		144-RC	L.H. O-72 "Phantom" Remote Control switch w/Tinplated outside rails	each	70.85
1		145-RC	R.H. O-72 "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
1		146-RC	L.H. O-72 "Phantom" Remote Control switch w/Stainless outside rails	each	74.00
			O-Gauge Regular Line Flexible Track with Wood Ties		
			With all Bright Rails		

50	*	201	Regular GarGraves 3 rail with Tinplated rails	each	7.35
50	*	202	Regular GarGraves 3 rail with Stainless Steel rails	each	9.75
			<i>O-Gauge Regular Line with Wood Ties</i>		
			<i>Sectional Curved Sections - 8 per Circle</i>		
8	*	WT-32-201	32" Regular w/Three Tinplated Rails	each	6.85
8	*	WT-32-202	32" Regular w/Three Stainless Rails	each	8.00
8	*	WT-42-201	42" Regular w/Three Tinplated Rails	each	8.00
8	*	WT-42-202	42" Regular w/Three Stainless Rails	each	9.05
8	*	WT-54-201	54" Regular w/Three Tinplated Rails	each	10.35
8	*	WT-54-202	54" Regular w/Three Stainless Rails	each	11.40
			<i>63" thru 106" - 12 sections per circle</i>		
12	*	WT-63-201	63" Regular w/Three Tinplated Rails	each	7.40
12	*	WT-63-202	63" Regular w/Three Stainless Rails	each	8.10
12	*	WT-72-201	72" Regular w/Three Tinplated Rails	each	7.95
12	*	WT-72-202	72" Regular w/Three Stainless Rails	each	8.70
12	*	WT-80-201	80" Regular w/Three Tinplated Rails	each	10.00
12	*	WT-80-202	80" Regular w/Three Stainless Rails	each	11.05
12	*	WT-89-201	89" Regular w/Three Tinplated Rails	each	10.45
12	*	WT-89-202	89" Regular w/Three Stainless Rails	each	11.30
12	*	WT-96-201	96" Regular /Three Tinplated Rails	each	10.90
12	*	WT-96-202	96" Regular w/Three Stainless Rails	each	11.95
12	*	WT-106-201	106" Regular w/Three Tinplated Rails	each	11.40
12	*	WT-106-202	106" Regular w/Three Stainless Rails	each	11.95
			<i>113" thru 138" - 16 sections per circle</i>		
16	*	WT-113-201	113" Regular w/Three Tinplated Rails	each	8.95
16	*	WT-113-202	113" Regular w/Three Stainless Rails	each	9.80
16	*	WT-120-201	120" Regular w/Three Tinplated Rails	each	9.35
16	*	WT-120-202	120" Regular /Three Stainless Rails	each	10.15
16	*	WT-128-201	128" Regular w/Three Tinplated Rails	each	10.90
16	*	WT-128-202	128" Regular w/Three Stainless Rails	each	11.95
16	*	WT-138-201	138" Regular w/Three Tinplated Rails	each	11.25
16	*	WT-138-202	138" Regular w/Three Stainless Rails	each	12.30
			<i>O-Gauge Regular Line Straight Sections Rigid</i>		
12	*	WT-201-37	37" Regular Straight w/3 Tinplated	each	11.25
12	*	WT-202-37	37" Regular Straight w/3 Stainless Rails	each	12.45
12	*	WT-201-24	24.8" Regular Straight w/3 Tinplated Rails	each	8.10
12	*	WT-202-24	24.8" Regular Straight w/3 Stainless Rails	each	8.35
12	*	WT-201-12	12.4" Regular Straight w/3 Tinplated	each	4.50
12	*	WT-202-12	12.4" Regular Straight w/3 Stainless Rails	each	5.10
12	*	WT-201-6	6.2" Regular Straight w/3 Tinplated Rails	each	3.00
12	*	WT-202-6	6.2" Regular Straight w/3 Stainless Rails	each	3.15
			<i>O-Gauge Regular Line Switches with New DZ-2500 Switch Machine</i>		
1		2203	RH 100" Radius Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	74.75
1		2204	LH 100" Radius Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	74.75
1		2205	RH 100" Radius Switch w/Stainless Rails & DZ-2500 Switch Machine	each	77.90
1		2206	LH 100" Radius Switch w/Stainless Rails & DZ-2500 Switch Machine	each	77.90
1		2213	RH O-42 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	74.75
1		2214	LH O-42 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	74.75
1		2215	RH O-42 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	77.90
1		2216	LH O-42 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	77.90
1		2233	RH O-54 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	74.75
1		2234	LH O-54 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	74.75

1	2235	RH O-54 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	77.90
1	2236	LH O-54 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	77.90
1	2241	O-72 WYE Switch w/Tinplated rails & DZ-2500 Switch Machine	each	74.75
1	2242	O-72 WYE Switch w/Stainless rails & DZ-2500 Switch Machine	each	77.90
1	2243	RH O-72 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	74.75
1	2244	LH O-72 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	74.75
1	2245	RH O-72 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	77.90
1	2246	LH O-72 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	77.90
		<i>O-Gauge Regular Line Switches <->Operating Tracks & Terminal Tracks</i>		
1	203	RH 100" Radius Regular Manual switch w/Tinplated rails	each	45.10
1	204	LH 100" Radius Regular Manual switch w/Tinplated rails	each	45.10
1	205	RH 100" Radius Regular Manual switch w/Stainless rails	each	48.25
1	206	LH 100" Radius Regular Manual switch w/Stainless rails	each	48.25
1	203-RC	RH 100" Radius Regular Remote Control switch w/Tinplated rails	each	70.85
1	204-RC	LH 100" Radius Regular Remote Control switch w/Tinplated rails	each	70.85
1	205-RC	RH 100" Radius Regular Remote Control switch w/Stainless rails	each	74.00
1	206-RC	LH 100" Radius Regular Remote Control switch w/Stainless rails	each	74.00
1	207	Remote Control Magnetic Uncoupling section Tinplated rails	each	41.95
1	208	Remote Control Magnetic UC/UL for operating cars Tinplated rails	each	47.90
1	208-EM	Remote Control Magnetic UC/UL Same as 208 but w/magnet on end	each	47.90
1	209	Remote Control Magnetic Uncoupling section Stainless rails	each	43.20
1	210	Remote Control Magnetic UC/UL for operating cars Stainless rails	each	49.05
1	210-EM	Remote Control Magnetic UC/UL Same as 210 but w/magnet on end	each	49.05
1	211	Terminal/Accessory Control Section Tinplated rails	each	10.00
1	212	Terminal/Accessory Control Section Stainless rails	each	10.55
1	213	RH O-42 Regular Manual switch w/Tinplated rails	each	45.10
1	214	LH O-42 Regular Manual switch w/Tinplated rails	each	45.10
1	215	RH O-42 Regular Manual switch w/Stainless rails	each	48.25
1	216	LH O-42 Regular Manual switch w/Stainless rails	each	48.25
1	213-RC	RH O-42 Regular Remote Control switch w/Tinplated rails	each	70.85
1	214-RC	LH O-42 Regular Remote Control switch w/Tinplated rails	each	70.85
1	215-RC	RH O-42 Regular Remote Control switch w/Stainless rails	each	74.00
1	216-RC	LH O-42 Regular Remote Control switch w/Stainless rails	each	74.00
1	218	Remote Operating Car Track & Terminal Section Regular Tinplate	each	24.85
1	219	Remote Operating Car Track & Terminal Section Regular Stainless	each	26.10
1	221	90 Degree Crossing w/Tinplated Rails	each	29.40
1	222	90 Degree Crossing w/Stainless Rails	each	31.75
1	233	R.H. O-54 Regular Manual switch w/Tinplated outside rails	each	45.10
1	234	L.H. O-54 Regular Manual switch w/Tinplated outside rails	each	45.10
1	235	R.H. O-54 Regular Manual switch w/Stainless outside rails	each	48.25
1	236	L.H. O-54 Regular Manual switch w/Stainless outside rails	each	48.25
1	233-RC	R.H. O-54 Regular Remote Control switch w/Tinplated rails	each	70.85
1	234-RC	L.H. O-54 Regular Remote Control switch w/Tinplated rails	each	70.85
1	235-RC	R.H. O-54 Regular Remote Control switch w/Stainless rails	each	74.00
1	236-RC	L.H. O-54 Regular Remote Control switch w/Stainless rails	each	74.00
1	243	R.H. O-72 Regular Manual switch w/Tinplated rails	each	45.10
1	244	L.H. O-72 Regular Manual switch w/Tinplated rails	each	45.10
1	245	R.H. O-72 Regular Manual switch w/Stainless rails	each	48.25
1	246	L.H. O-72 Regular Manual switch w/Stainless rails	each	48.25
1	241	O-72 WYE Regular Manual switch w/Tinplated outside rails	each	45.10
1	242	O-72 WYE Regular Manual switch w/Stainless outside rails	each	48.25
1	241-RC	O-72 WYE Regular Remote Control switch w/Tinplated outside rails	each	70.85

1		242-RC	O-72 WYE Regular Remote Control switch w/Stainless outside rails	each	74.00
1		243-RC	R.H. O-72 Regular Remote Control switch w/Tinplated rails	each	70.85
1		244-RC	L.H. O-72 Regular Remote Control switch w/Tinplated rails	each	70.85
1		245-RC	R.H. O-72 Regular Remote Control switch w/Stainless rails	each	74.00
1		246-RC	L.H. O-72 Regular Remote Control switch w/Stainless rails	each	74.00
			O-Gauge 2-Rail Flexible Track & Switches		
50	*	301	2-Rail O-Gauge with Tinplated rails and Wood ties	each	7.40
50	*	302	2-Rail O-Gauge with Stainless rails and Wood ties	each	8.90
1		303	RH 2-Rail O-Gauge Manual switch w/Tinplated rails	each	39.85
1		304	LH 2-Rail O-Gauge Manual switch w/Tinplated rails	each	39.85
1		305	RH 2-Rail O-Gauge Manual switch w/Stainless rails	each	43.00
1		306	LH 2-Rail O-Gauge Manual switch w/Stainless rails	each	43.00
1		303-RC	RH 2-Rail O-Gauge Remote Control switch w/Tinplated rails	each	65.60
1		304-RC	LH 2-Rail O-Gauge Remote Control switch w/Tinplated rails	each	65.60
1		305-RC	RH 2-Rail O-Gauge Remote Control switch w/Stainless rails	each	68.75
1		306-RC	LH 2-Rail O-Gauge Remote Control switch w/Stainless rails	each	68.75
1		343	R.H. 72" O-2-rail Manual switch w/Tinplated rails	each	39.85
1		344	L.H. 72" O-2-rail Manual switch w/Tinplated rails	each	39.85
1		345	R.H. 72" O-2-rail Manual switch w/Stainless rails	each	43.00
1		346	L.H. 72" O-2-rail Manual switch w/Stainless rails	each	43.00
1		343-RC	R.H. 72" O-2-rail Remote Control switch w/Tinplated rails	each	65.60
1		344-RC	L.H. 72" O-2-rail Remote Control switch w/Tinplated rails	each	65.60
1		345-RC	R.H. 72" O-2-rail Remote Control switch w/Stainless rails	each	68.75
1		346-RC	L.H. 72" O-2-rail Remote Control switch w/Stainless rails	each	68.75
			S-Gauge 2-Rail with Wood Ties		
50	*	401	S-Gauge with Tinplated rails	each	7.40
50	*	402	S-Gauge with Stainless rails	each	8.90
			S-Gauge Curves - Wood Ties - Eight per Circle		
8	*	42-401SW	42" S-Gauge w/Tinplated Rails	each	7.70
8	*	42-402SW	42" S-Gauge w/Stainless Rails	each	8.65
8	*	54-401SW	54" S-Gauge w/Tinplated Rails	each	10.25
8	*	54-402SW	54" S-Gauge w/Stainless Rails	each	11.00
8	*	63-401SW	63" S-Gauge w/Tinplated Rails	each	10.80
8	*	63-402SW	63" S-Gauge w/Stainless Rails	each	11.60
8	*	72-401SW	72" S-Gauge w/Tinplated Rails	each	11.60
8	*	72-402SW	72" S-Gauge w/Stainless Rails	each	12.40
			S-Gauge Straight Sections Rigid		
12	*	401SW	37" S-Gauge w/Tinplated Rails	each	11.25
12	*	402SW	37" S-Gauge w/Stainless Rails	each	12.10
12	*	401SW-24	24.8" S-Gauge w/Tinplated Rails	each	7.55
12	*	402SW-24	24.8" S-Gauge w/Stainless Rails	each	8.10
12	*	401SW-12	12.4" S-Gauge w/Tinplated Rails	each	4.75
12	*	402SW-12	12.4" S-Gauge w/Stainless Rails	each	5.05
12	*	401SW-6	6.2" S-Gauge w/Tinplated Rails	each	2.90
12	*	402SW-6	6.2" S-Gauge w/Stainless Rails	each	3.05
			S-Gauge Switches		
1		403	R.H. 42" S-Gauge Manual switch w/Tinplated rails	each	N/A
1		404	L.H. 42" S-Gauge Manual switch w/Tinplated rails	each	N/A
1		405	R.H. 42" S-Gauge Manual switch w/Stainless rails	each	N/A
1		406	L.H. 42" S-Gauge Manual switch w/Stainless rails	each	N/A

1		403-RC	R.H. 42" S-Gauge Remote Control switch w/Tinplated rails	each	N/A
1		404-RC	L.H. 42" S-Gauge Remote Control switch w/Tinplated rails	each	N/A
1		405-RC	R.H. 42" S-Gauge Remote Control switch w/Stainless rails	each	N/A
1		406-RC	L.H. 42" S-Gauge Remote Control switch w/Stainless rails	each	N/A
			Standard Gauge Regular Line Flexible Track & Switches		
36	*	501	Standard Gauge Regular w/Tinplated rails and Wood ties	each	7.80
36	*	502	Standard Gauge Regular w/Stainless rails and Wood ties	each	9.75
1		503	R.H. 72 Standard Regular Manual w/Tinplated rails	each	50.55
1		504	L.H. 72" Standard Manual switch w/Tinplated rails	each	50.55
1		505	R.H. 72" Standard Manual switch w/Stainless rails	each	53.85
1		506	L.H. 72" Standard Manual switch w/Stainless rails	each	53.85
1		503-RC	R.H. 72" Standard Remote Control switch w/Tinplated rails	each	77.50
1		504-RC	L.H. 72" Standard Remote Control switch w/Tinplated rails	each	77.50
1		505-RC	R.H. 72" Standard Remote Control switch w/Stainless rails	each	80.80
1		506-RC	L.H. 72" Standard Remote Control switch w/Stainless rails	each	80.80
			Standard Gauge "Phantom" Line Flexible Track & Switches		
36	*	601	Standard Gauge "Phantom" w/Tinplated rails and Wood ties	each	8.15
36	*	602	Standard Gauge "Phantom" w/Stainless outside rails and Wood ties	each	9.75
1		603	R.H. 72" Standard "Phantom" Manual switch w/Tinplated rails	each	50.55
1		604	L.H. 72" Standard "Phantom" Manual switch w/Tinplated rails	each	50.55
1		605	R.H. 72" Standard "Phantom" Manual switch w/Stainless rails	each	53.85
1		606	L.H. 72" Standard "Phantom" Manual switch w/Stainless rails	each	53.85
1		603-RC	R.H. 72" Standard "Phantom" Remote Control switch w/Tinplated rails	each	77.50
1		604-RC	L.H. 72" Standard "Phantom" Remote Control switch w/Tinplated rails	each	77.50
1		605-RC	R.H. 72" Standard "Phantom" Remote Control switch w/Stainless rails	each	80.80
1		606-RC	L.H. 72" Standard "Phantom" Remote Control switch w/Stainless rails	each	80.80
			No. 1 Gauge (G) 2-Rail Flexible Track & Switches		
36	*	701	No. 1 Gauge 2-Rail w/Tinplated rails and Wood ties	each	7.60
36	*	702	No. 1 Gauge 2-Rail w/Stainless rails and Wood ties	each	9.30
1		703	R.H. 72" #1-Gauge Manual switch w/Tinplated rails	each	50.55
1		704	L.H. 72" #1-Gauge Manual switch w/Tinplated rails	each	50.55
1		705	R.H. 72" #1-Gauge Manual switch w/Stainless rails	each	53.85
1		706	L.H. 72" #1-Gauge Manual switch w/Stainless rails	each	53.85
1		703-RC	R.H. 72" #1-Gauge Remote Control switch w/Tinplated rails	each	77.50
1		704-RC	L.H. 72" #1-Gauge Remote Control switch w/Tinplated rails	each	77.50
1		705-RC	R.H. 72" #1-Gauge Remote Control switch w/Stainless rails	each	80.80
1		706-RC	L.H. 72" #1-Gauge Remote Control switch w/Stainless rails	each	80.80
			Track Pins <> Strip Connectors <> Retaining Clips		
		800	GarGraves Insulating Pins	pkg/12	3.25
1		801	O-Gauge mating pins Lionel to GarGraves	pkg/12	4.85
1		802	O-27-Gauge mating pins Lionel to GarGraves	pkg/12	4.85
1	*	803	GarGraves track pins (Nickel Silver)	pkg/12	1.80
1		803-3	GarGraves Track Pins (1-oz Pkg. Approximately 80 pins)	1 oz.pkg	7.00
1		910-4	Fit-Up Blades (Strip Track Connectors) Stainless Steel	pkg/25	4.00
1		901.25	Sectional Track Retaining Clips	pkg/25	1.75
1		901.5	Sectional Track Retaining Clips	pkg/50	2.50
1		901.1	Sectional Track Retaining Clips	pkg/100	3.75
			Midwest Cork Roadbed		
1		3016	O-Gauge Roadbed, 25 pieces per box, 75 feet, 3' x 5mm	box	54.75
1		3013	HO- Gauge Roadbed, 25 pieces per box, 75 feet, 3' x 5mm	box	39.75
1		3014	O & HO Sheets (box of 9) 5" x 36" x 5mm	box	37.71
1		3019	N-Gauge Roadbed, 25 pieces per box, 75 feet 3' x 3mm	box	24.75

1		3020	N-Gauge Sheets (box of 10) 3-1/4" x 36" x 3mm	box	23.90
			Miscellaneous		
1		001	Flexible track instruction	each	n/c
1		002	Product Catalog	each	n/c
1		GG-DVD	Using GarGraves Products on Your Layout - DVD	each	9.95
1		VIDEO	Using GarGraves Products on Your Layout - VHS	each	9.95
1		LBB-GG	GarGraves Lighted Blinking Billboard	each	9.95
1		804	Ties Bundle/12 (Specify Gauge & with or without slots)	doz	0.95
1		810-8	8" Rail Load - Pkg. 12	Pkg/12	6.25
1		810-12	12" Rail Load - Pkg. 12	Pkg/12	7.3
1		805	Momentary contact push button switch	each	5.25
1		905	Zona Razor Saw #35-200	each	5.50
1		83985	GYROS 1/8" Mandrel for use with disks in Dremel Tool	each	3.95
1		93108	GYROS Reinforced Cutoff disks 2" diameter	pkg/2	6.05
			Track Screws		
1		806-25	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/25	2.50
1		806-5	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/50	3.00
1		806-1	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/100	4.70
1		806-2	Track Screws, #4 x 3/8" Phillips Pan Head Black - Approx. Qty. 920	Pound	30.80
1		807-25	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/25	2.50
1		807-5	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/50	3.00
1		807-1	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/100	4.70
1		807-2	Track Screws, #4 x 1/2" Phillips Pan Head Black - Approx. Qty. 760	Pound	25.30
1		808-25	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/25	2.50
1		808-5	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/50	3.00
1		808-1	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/100	4.70
1		808-2	Track Screws, #4 x 3/4" Phillips Pan Head Black - Approx. Qty. 550	Pound	21.00
1		809-25	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/25	3.00
1		809-5	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/50	3.85
1		809-1	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/100	5.50
1		809-2	Track Screws, #4 x 1" Phillips Pan Head Black - Approx. Qty. 400	Pound	19.00
1			Wire		
			Pigtail connectors for power feed connections & Bulk Wire		
1		930B-12	8" Pigtail , 16 AWG, Black with GarGraves track pin	pkg/12	13.95
1		930B-24	8" Pigtail , 16 AWG, Black with GarGraves track pin	pkg/24	26.20
1		931B-12	8" Pigtail , 16 AWG, Black with Quick connect spade	pkg/12	13.95
1		931B-24	8" Pigtail , 16 AWG, Black with Quick connect spade	pkg/24	26.20
1		932B-12	8" Pigtail , 16 AWG, Black with Forked connector	pkg/12	13.95
1		932B-24	8" Pigtail , 16 AWG, Black with Forked connector	pkg/24	26.20
1		930W-12	8" Pigtail , 16 AWG, White with GarGraves track pin	pkg/12	13.95
1		930W-24	8" Pigtail , 16 AWG, White with GarGraves track pin	pkg/24	26.20
1		931W-12	8" Pigtail , 16 AWG, White with Quick connect spade	pkg/12	13.95
1		931W-24	8" Pigtail , 16 AWG, White with Quick connect spade	pkg/24	26.20
1		932W-12	8" Pigtail , 16 AWG, White with Forked connector	pkg/12	13.95
1		932W-24	8" Pigtail , 16 AWG, White with Forked connector	pkg/24	26.20
1		930B/W-12	8" Pigtail , 16 AWG, 6ea Black & White w/GarGraves track pin	pkg/12	13.95
1		931B/W-12	8" Pigtail , 16 AWG, 6ea Black/White w/Quick connect spade	pkg/12	13.95
1		932B/W-12	8" Pigtail , 16 AWG, 6ea Black/White w/Forked connector	pkg/12	13.95
1		3CW22-1	3-conductor 22-gauge flat wire Ylw, Red, Grn 100' spool	each	30.45
1		2CW18-1	2-conductor 18-gauge flat wire Blk,Wht 100' spool	each	39.90
1		3CW18-1	3-conductor 18-gauge flat wire Blk,Red,Wht 100' spool	each	51.45
			Stainless Steel Solderless Track Connectors		

1		909-1	Stainless Connectors, 2 #909 & 1 #910-1	pkg/3	2.75
1		909	Stainless Connector for Outside Rails	pkg/3	2.75
1		910-1	Stainless Connector for Center Rail O-Gauge	pkg/3	2.75
1		910-2	Stainless Connector for Center Rail Standard Gauge	pkg/3	2.75
1		909-B	Stainless Connector for Outside Rails Bulk	pkg/72	50.00
1		910-B	Stainless Connector for Center Rail O-Gauge Bulk	pkg/72	50.00
			<i>Tinplated Steel Solderless Track Connectors</i>		
1		911-1	Tinplated Connectors 2 #911 & 1 #912-1	pkg/3	2.30
1		911-12	Tinplated Connectors 1#911 & 1 #912-2 For use with S-Gauge track	pkg/2	1.80
1		911	Tinplated Connector for Outside Rails	pkg/3	2.30
1		912-1	Tinplated Connector for Center Rail O-Gauge	pkg/3	2.30
1		912-2	Tinplated Connector for Center Rail Standard Gauge	pkg/3	2.30
1		911-B	Tinplated Connectors for Outside Rails Bulk	pkg/72	40.00
1		912-1B	Tinplated Connectors for Center Rail O-Gauge Bulk	pkg/72	40.00
			<i>Caboose Industries Ground Throws</i>		
1		913	Ground Throw #208S--Sprung for O-Gauge .280" Travel	each	3.40
1	*	914	Ground Throw #101R--Rigid for HO-Gauge .190" Travel	each	3.08
1	*	915	Ground Throw #202-S--Sprung for HO-Gauge .190" Travel	each	3.25
1	*	916	Ground Throw #105R--Rigid for N-Gauge .135" Travel	each	3.18
1	*	917	Ground Throw #206S--Sprung for N-Gauge .135" Travel	each	3.25
1	*	918	Ground Throw #107R--Rigid for O-Gauge .280" Travel	each	3.28
1	*	919	Ground Throw #103R--Rigid for HO-Gauge .190" Travel	each	7.05
1	*	920	Ground Throw #204S--Sprung for HO-Gauge .190" Travel	each	7.25
1	*	921	Ground Throw #109R--Rigid Stand for HO .190" Travel	each	4.28
1	*	922	Ground Throw #210S-- Sprung Stand for HO .190" Travel	each	4.45
			<i>Miniature Lamps - Screw Base</i>		
10		1499	Lamp - Clear - 14 volt	each	0.80
10		1400A	Lamp - Amber - 14 volt	each	0.80
10		1400B	Lamp - Blue - 14 volt	each	0.80
10		1400G	Lamp - Green - 14 volt	each	0.80
10		1400R	Lamp - Red - 14 volt	each	0.80
10		1500	Lamp - Clear - 18 volt	each	0.80
10		1500A	Lamp - Amber - 18 volt	each	0.80
10		1500B	Lamp - Blue - 18 volt	each	0.80
10		1500G	Lamp - Green - 18 volt	each	0.80
10		1500R	Lamp - Red - 18 volt	each	0.80
			<i>Miniature Lamps - Bayonet Base</i>		
10		1445	Lamp - Clear - 18 volt	each	0.80
10		1445G	Lamp - Green - 18 volt	each	0.80
10		1445R	Lamp - Red - 18 volt	each	0.80
			<i>Acme Switch Controllers & Terminal Panels for All Gauges</i>		
			<i>Switch Controller With Indicator Lights</i>		
1		1894	Switch Controller with lights (flush mount)	each	18.90
1		1888	Switch Controller with lights & surface mounting frame	each	19.80
			<i>Switch Control Panels for Flush Mounting w/o lights</i>		
1		1303	To operate 3 switch machines	each	8.10
1		1305	To operate 5 switch machines	each	11.60
1		1307	To operate 7 switch machines (10)	each	15.45
			<i>Switch Control Panels with Mounting Frame w/o lights</i>		
1		1403	To operate 3 switch machines	each	9.55
1		1405	To operate 5 switch machines	each	12.80
1		1407	To operate 7 switch machines	each	16.75

Rix Products					
1		628-1	Undertable mounting bracket (Vertical)	each	3.99
1		628-4	Twin coil switch machine (2 sets of contacts)	each	12.99
1		628-5	Undertable mounting bracket (Horizontal)	each	3.99
1		628-6	Under layout pivoting turnout linkage	each	3.25
1		628-7	Mounting pad for switch machine	each	3.25
Z-STUFF for Trains - O Gauge Accessories					
1		DZ-1000	Switch machine & Controller w/2 spring links (retrofit GarGraves & Custom switches)	each	26.00
1		DZ-1002	Switch Controller w/red & green LED's	each	6.50
1		DZ-1003	Throw springs for GarGraves switches	pkg/5	2.25
1		DZ-1004	Throw springs for Curtis & Ross switches	pkg/5	2.25
1		DZ-1005	Throw springs for Atlas O switches	pkg/5	2.25
1		DZ-1008	SPDT Relay Module	each	14.15
1		DZ-1010	Crossing Gate Set with 2 Block Signal Detectors	each	130.50
1		DZ-1011	Block Signal Detectors	pkg/2	27.00
1		DZ-1015	Speaker, 8 Ohm with enclosure	each	10.50
1		DZ-1020	Crossing Signal Set with 2 Block Detectors	each	94.90
1		DZ-1030	WigWag Signal with (2) Block Signal Detectors	each	135.50
1		DZ-1040-LQ	Semaphore Lower Quadrant	each	74.50
1		DZ-1040-UQ	Semaphore Upper Quadrant	each	74.50
1		DZ-1050	Three Light Signal	each	58.00
1		DZ-1060	PRR Type Seven Light Position Signal	each	62.00
1		DZ-1070	Trackside Sensor with 2 Outputs	each	24.00
1		DZ-1075	Trackside Sensor w/.0.9A Dual Solid State Relays	each	32.50
1		DZ-1075M	Trackside Sensor w/Momentary 0.9A Dual Solid State Relays	each	32.50
1		DZ-1080	Color - Position Trackside Signal	each	61.00
1	New	DZ-1090-40U-2	Signal Bridge w/upper semaphore - 2 tracks	each	185.00
1	New	DZ-1090-50-2	Signal Bridge w/3 color - 2 tracks	each	160.00
1	New	DZ-1090-60-2	Signal Bridge w/7-light Pennsy signal 2-tracks	each	165.00
1		DZ-1200	Passenger Station Announcement System	each	162.50
1		DZ-1205	Sensors (2) for DZ-1200	pkg/2	6.75
1		DZ-1210	Barcode Supports for DZ-1200	each	8.25
1		DZ-1215	Barcode Strips 1-set for DZ-1200	each	9.00
1		DZ-1220	Trolley Stop & Controller Announcement System	each	120.00
1		DZ-1240	Auto-Reverse w/Horn or Stop control	each	53.50
1		DZ-1260	Water Tower Animator (Sound & Control Module)	each	58.00
1		DZ-1265	Diesel Fueling Station Animator (Sound & Control Module)	each	60.00
1		DZ-2000	Switch Machine Controller for Remote Switch Operation	each	17.00
1		DZ-2001	Data Line Driver-TMCC	each	18.00
1		DZ-2500	Switch Machine w/DZ-2502 & GarGraves, /Ross/Curtis & Atlas springs	each	34.50
1		DZ-2502	Switch Machine Remote Controller	each	6.55
1		DZ-2503	Bag, 5 Springs #103 for Curtis & Ross switches	each	1.98
1		DZ-2504	Bag, 5 Springs #104 for Atlas Switches	each	1.98
1		DZ-2505	Bag, 5 Springs #105 for GarGraves Switches	each	1.98
Z-STUFF for Trains - S Gauge Signals					
1		DZ-1040-S-LQ	S-Gauge Semaphore - Lower Quadrant	each	74.50
1		DZ-1040-S-UQ	S-Gauge Semaphore - Upper Quadrant	each	74.50
1		DZ-1050-S	S-Gauge 3 Light Signal (11)	each	58.00
1		DZ-1060-S	S-Gauge PRR Type Seven Light Position Signal	each	62.00
1		DZ-1080-S	Color - Position Trackside Signal S-Gauge	each	61.00
Z-STUFF for Trains - G Gauge Signals					

1	New	DZ-1040L-G	Semaphore Signal - Lower Quadrant G-Gauge	each	99.50
1	New	DZ-1040U-G	Semaphore Signal - Upper Quadrant G-Gauge	each	99.50
1	New	DZ-1050-G	3-Color Trackside Signal G-Gauge	each	75.00
1	New	DZ-1060-G	7-Light Trackside signal G-Gauge	each	79.50
1	New	DZ-1080-G	Color - Position Trackside Signal S-Gauge	each	79.50
			Circuitron Electronics		
1	*	800-6000	Tortoise Switch machine	each	19.95
1	*	800-5102	Alternating flasher for crossbuck signals	each	19.95
1	*	800-7212	110 VAC Wall power pack with 12 VDC output Will power up to 30 Tortoise	each	14.95
1		800-9999	Catalog & Application book	each	7.00
			Other Circuitron products available on request		
			N J International Switch Machines & Accessories		
1		6002	Throw spings (Pkg/2)	each	1.59
1		6003	Under Layout mounting kit (Pkg/2)	each	4.99
			NJ International Signals & Controls		
1		3000	Semaphore 3-light O-scale	each	59.99
1		3030	Type D Color light signal 3-light O-scale	each	39.99
1		3050	Tri-Color signal type G Hooded target O-scale	each	39.99
1		3060	Tri-Color double signal Type G Hooded target O-scale	each	59.99
1		3090	Crossbuck signal O-scale	each	29.99
1		3172	Crossing Gate Red/White Gate with Bar Type Arm	pair	49.95
			"Phantom" Line Sectional Track		
			With Black Plastic Ties		
			Curved Sections W/Tinplated Outside Rails		
			32" thru 72" 8 sections per circle		
8	*	32-101S	32" "Phantom" w/Tinplated Outside Rails	each	7.20
8	*	32-102S	32" "Phantom" ww/Stainless Outside Rails	each	8.00
8	*	42-101S	42" "Phantom" w/Tinplated Outside Rails	each	8.25
8	*	42-102S	42" "Phantom" w/Stainless Outside Rails	each	9.05
8	*	54-101S	54" "Phantom" w/Tinplated Outside Rails	each	10.55
8	*	54-102S	54" "Phantom" w/Stainless Outside Rails	each	11.40
8	*	63-101S	63" "Phantom" w/Tinplated Outside Rails	each	11.20
8	*	63-102S	63" "Phantom" w/Stainless Outside Rails	each	11.95
8	*	72-101S	72" "Phantom" w/Tinplated Outside Rails	each	11.95
8	*	72-102S	72" "Phantom" w/Stainless Outside Rails	each	12.80
			80" & over 12 sections per circle		
12	*	80-101S	80" "Phantom" w/Tinplated Outside Rails	each	10.30
12	*	80-102S	80" "Phantom" w/Stainless Outside Rails	each	11.10
12	*	89-101S	89" "Phantom" w/Tinplated Outside Rails	each	10.80
12	*	89-102S	89" "Phantom" w/Stainless Outside Rails	each	11.60
12	*	96-101S	96" "Phantom" w/Tinplated Outside Rails	each	11.20
12	*	96-102S	96" "Phantom" w/Stainless Outside Rails	each	11.95
12	*	106-101S	106" "Phantom" w/Tinplated Outside Rails	each	11.45
12	*	106-102S	106" "Phantom" w/Stainless Outside Rails	each	12.30
12	*	113-101S	113" "Phantom" w/Tinplated Outside Rails	each	12.10
12	*	113-102S	113" "Phantom" w/Stainless Outside Rails	each	12.95
12	*	120-101S	120" "Phantom" w/Tinplated Outside Rails	each	12.55
12	*	120-102S	120" "Phantom" w/Stainless Outside Rails	each	13.35
			Over 120" 16 sections per circle		
16	*	128-101S	128" "Phantom" w/Tinplated Outside Rails	each	11.20
16	*	128-102S	128" "Phantom" w/Stainless Outside Rails	each	11.95
16	*	138-101S	138" "Phantom" w/Tinplated Outside Rails	each	11.45

16	*	138-102S	138" "Phantom" w/Tinplated Outside Rails	each	12.30
			Straight Sections Rigid		
12	*	101S-37	37" "Phantom" w/Tinplated Outside Rails	each	11.70
12	*	102S-37	37" "Phantom w/Stainless Outside Rails	each	12.45
12	*	101S-24	24.8" "Phantom" w/Tinplated Outside Rails	each	8.30
12	*	102S-24	24.8" "Phantom" w/Stainless Outside Rails	each	8.95
12	*	101S-12	12.4" "Phantom" w/Tinplated Outside Rails	each	4.80
12	*	102S-12	12.4" "Phantom" w/Stainless Outside Rails	each	5.10
12	*	101S-6	6.2" "Phantom" w/Tinplated Outside Rails	each	3.05
12	*	102S-6	6.2" "Phantom" w-Stainless Outside Rails	each	3.15
			Straight Sections Flexible		
12	*	101F	37" "Phantom" w/Tinplated Outside Rails	each	10.80
12	*	102F	37" "Phantom" w/Stainless Outside Rails	each	11.65
Straight 37" sections also packed in cartons of 24 & 50 sections					
			O-Gauge Regular Line Sectional Track		
			Curved Sections with Black Plastic Ties		
			32" thru 72" 8 sections per circle		
8	*	32-201S	32" Regular w/Three Tinplated Rails	each	6.85
8	*	32-202S	32" Regular w/Three Stainless Rails	each	8.00
8	*	42-201S	42" Regular w/Three Tinplated Rails	each	8.00
8	*	42-202S	42" Regular w/Three Stainless Rails	each	9.05
8	*	54-201S	54" Regular w/Three Tinplated Rails	each	10.35
8	*	54-202S	54" Regular w/Three Stainless Rails	each	11.40
8	*	63-201S	63" Regular w/Three Tinplated Rails	each	11.25
8	*	63-202S	63" Regular w/Three Stainless Rails	each	11.95
8	*	72-201S	72" Regular w/Three Tinplated Rails	each	11.75
8	*	72-202S	72" Regular w/Three Stainless Rails	each	12.80
			80 & over 12 sections per circle		
12	*	80-201S	80" Regular w/Three Tinplated Rails	each	10.00
12	*	80-202S	80" Regular w/Three Stainless Rails	each	11.05
12	*	89-201S	89" Regular w/Three Tinplated Rails	each	10.45
12	*	89-202S	89" Regular w/Three Stainless Rails	each	11.30
12	*	96-201S	96" Regular w/Three Tinplated Rails	each	10.90
12	*	96-202S	96" Regular w/Three Stainless Rails	each	11.95
12	*	106-201S	106" Regular w/Three Tinplated Rails	each	11.40
12	*	106-202S	106" Regular w/Three Stainless Rails	each	11.95
12	*	113-201S	113" Regular w/Three Tinplated Rails	each	11.85
12	*	113-202S	113" Regular w/Three Stainless Rails	each	12.95
12	*	120-201S	120" Regular w/Three Tinplated Rails	each	12.25
12	*	120-202S	120" Regular w/Three Stainless Rails	each	13.35
			Over 120" 16 sections per circle		
16	*	128-201S	128" Regular w/Three Tinplated Rails	each	10.90
16	*	128-202S	128" Regular w/Three Stainless Rails	each	11.95
16	*	138-201S	138" Regular w/Three Tinplated Rails	each	11.25
16	*	138-202S	138" Regular w/Three Stainless Rails	each	12.30
	*		Straight Sections Rigid		
12	*	201S	37" Regular Straight w/Three Tinplated Rails	each	11.25
12	*	202S	37" Regular Straight w/Three Stainless Rails	each	12.45
12	*	201S-24	24.8" Regular Straight w/Three Tinplated Rails	each	8.10
12	*	202S-24	24.8" Regular Straight w/Three Stainless Rails	each	8.35
12	*	201S-12	12.4" Regular Straight w/Three Tinplated Rails	each	4.50
12	*	202S-12	12.4" Regular Straight w/Three Stainless Rails	each	5.10

12	*	201S-6	6.2" Regular Straight w/Three Tinplated Rails	each	3.00
12	*	202S-6	6.2" Regular Straight w/Three Stainless Rails	each	3.15
			Straight Sections Flexible		
12	*	201F	37" Regular w/Three Tinplated Rails	each	10.45
12	*	202F	37" Regular w/Three Stainless Rails	each	11.65
Straight 37" sections also packed in cartons of 24 & 50 sections					
			Standard Gauge Regular Line Sectional Track		
			With Plastic Ties		
8		63-501S	63" Standard w/Tinplated Rails	each	13.35
8		63-502S	63" Standard w/Stainless Rails	each	14.45
8		72-501S	72" Standard w/Tinplated Rails	each	14.65
8		72-502S	72" Standard w/Stainless Rails	each	15.75
			80" & over 12 sections per circle		
12		80-501S	80" Standard w/Tinplated Rails	each	12.00
12		80-502S	80" Standard w/Stainless Rails	each	13.10
12		89-501S	89" Standard w/Tinplated Rails	each	12.90
12		89-502S	89" Standard w/Stainless Rails	each	14.10
12		96-501S	96" Standard w/Tinplated Rails	each	13.35
12		96-502S	96" Standard w/Stainless Rails	each	14.45
12		106-501S	106" Standard w/Tinplated Rails	each	14.35
12		106-502S	106" Standard w/Stainless Rails	each	15.55
12		113-501S	113" Standard w/Tinplated Rails	each	14.75
12		113-502S	113" Standard w/Stainless Rails	each	15.90
12		120-501S	120" Standard w/Tinplated Rails	each	15.10
12		120-502S	120" Standard w/Stainless Rails	each	16.35
			Over 120" 16 sections per circle		
16		128-501S	128" Standard w/Tinplated Rails	each	13.35
16		128-502S	128" Standard w/Stainless Rails	each	14.45
16		138-501S	138" Standard w/Tinplated Rails	each	14.00
16		138-502S	138" Standard w/Stainless Rails	each	15.20
			Straight Sections Rigid		
12		501S	37" Regular w/Tinplated Rails	each	15.45
12		502S	37" Regular w/Stainless Rails	each	16.55
12		501S-24	24.8" Regular w/Tinplated Rails	each	10.80
12		502S-24	24.8" Regular w/Stainless Rails	each	11.60
12		501S-12	12.4" Regular w/Tinplated Rails	each	5.90
12		502S-12	12.4" Regular w/Stainless Rails	each	6.30
12		501S-6	6.2" Regular w/Tinplated Rails	each	3.40
12		502S-6	6.2" Regular w/Stainless Rails	each	3.85
			Straight Sections Flexible		
12		501F	37" Regular w/Tinplated Rails	each	14.55
12		502F	37" Regular w/Stainless Rails	each	15.70
			Standard Phantom Line Sectional		
			With Black Center Rail & Plastic Ties		
8		63-601S	63" "Phantom" w/Tinplated Outside Rails	each	14.25
8		63-602S	63" "Phantom" w/Stainless Outside Rails	each	14.45
8		72-601S	72" "Phantom" w/Tinplated Outside Rails	each	14.30
8		72-602S	72" "Phantom" w/Stainless Outside Rails	each	15.75
			80" & over 12 sections per circle		
12		80-601S	80" "Phantom" w/Tinplated Outside Rails	each	12.40
12		80-602S	80" "Phantom" w/Stainless Outside Rails	each	13.10

12	89-601S	89" "Phantom" w/Tinplated Outside Rails	each	13.35
12	89-602S	89" "Phantom" w/Stainless Outside Rails	each	14.10
12	96-601S	96" "Phantom" w/Tinplated Outside Rails	each	13.75
12	96-602S	96" "Phantom" w/Stainless Outside Rails	each	14.45
12	106-601S	106" "Phantom" w/Tinplated Outside Rails	each	14.75
12	106-602S	106" "Phantom" w/Stainless Outside Rails	each	15.55
12	113--601S	113" "Phantom" w/Tinplated Outside Rails	each	15.10
12	113-602S	113" "Phantom" w/Stainless Outside Rails	each	15.90
12	120-601S	120" "Phantom" w/Tinplated Outside Rails	each	15.55
12	120-602S	120" "Phantom" w/Stainless Outside Rails	each	16.35
		Over 120" 16 sections per circle		
16	128-601S	128" "Phantom" w/Tinplated Outside Rails	each	13.75
16	128-602S	128" "Phantom" w/Stainless Outside Rails	each	14.45
16	138-601S	138" "Phantom" w/Tinplated Outside Rails	each	14.50
16	138-602S	138" "Phantom" w/Stainless Outside Rails	each	15.20
		Straight Sections Rigid		
12	601S	37" "Phantom" w/Tinplated Outside Rails	each	15.75
12	602S	37" "Phantom" w/Stainless Outside Rails	each	16.55
12	601S-24	24.8" "Phantom" w/Tinplated Outside Rails	each	11.15
12	602S-24	24.8" "Phantom" w/Stainless Outside Rails	each	11.60
12	601S-12	12.4" "Phantom" w/Tinplated Outside Rails	each	6.15
12	602S-12	12.4" "Phantom" w/Stainless Outside Rails	each	6.30
12	601S-6	6.2" "Phantom" w/Tinplated Outside Rails	each	3.70
12	602S-6	6.2" "Phantom" w/Stainless Outside Rails	each	3.85
		Straight Sections Flexible		
12	601F	37" "Phantom" w/Tinplated Outside Rails	each	14.95
12	602F	37" "Phantom" w/Stainless Outside Rails	each	15.70
		Sectional Track for Interail System		
		Phantom" Curves 12 sections per Circle		
12	* 48-101-SIR	47" "Phantom" w/Tinplated Outside Rails	each	7.85
12	* 48-102-SIR	47" "Phantom" w/Stainless Outside Rails	each	8.70
12	* 62-101-SIR	62" "Phantom" w/Tinplated Outside Rails	each	8.55
12	* 62-102-SIR	62" "Phantom" w/Stainless Outside Rails	each	9.45
		Phantom Rigid Straights		
12	* 101-SIR-36	36" "Phantom" Straight w/Tinplated Outside Rails	each	11.70
12	* 102-SIR-36	36" "Phantom" Straight w/Stainless Outside Rails	each	12.45
12	* 101-SIR-24	24" "Phantom" Straight w/Tinplated Outside Rails	each	8.30
12	* 102-SIR-24	24" "Phantom" Straight w/Stainless Outside Rails	each	8.95
12	* 101-SIR-12	12" "Phantom" Straight w/Tinplated Outside Rails	each	4.80
12	* 102-SIR-12	12" "Phantom" Straight w/Stainless Outside Rails	each	5.10
12	* 101-SIR-7	7" "Phantom" Straight w/Tinplated Outside Rails	each	3.05
12	* 102-SIR-7	7" "Phantom" Straight w/Stainless Outside Rails	each	3.15
		Regular Curves		
12	* 48-201-SIR	47" Regular w/Tinplated Rails	each	7.50
12	* 48-202-SIR	47" Regular w/Stainless Rails	each	8.70
12	* 62-201-SIR	62" Regular w/Tinplated Rails	each	8.15
12	* 62-202-SIR	62" Regular w/Stainless Rails	each	9.45
		Regular Straights		
12	* 201-SIR-36	36" Regular Straight w/Tinplated Rails	each	11.25
12	* 202-SIR-36	36" Regular Straight w/Stainless Rails	each	12.45
12	* 201-SIR-24	24" Regular Straight w/Tinplated Rails	each	8.10
12	* 202-SIR-24	24" Regular Straight w/Stainless Rails	each	8.95

12	*	201-SIR-12	12" Regular Straight w/Tinplated Rails	each	4.50
12	*	202-SIR-12	12" Regular Straight w/Stainless Rails	each	5.10
12	*	201-SIR-7	7" Regular Straight w/Tinplated Rails	each	3.00
12	*	202-SIR-7	7" Regular Straight w/Stainless Rails	each	3.15
			"S" and Standard Gauge available in 48" & 62" for Interail System		
			Switch Transition Offset Sections for Parallel Tracks		
			Specify desired center to center distance for 100" radius Switch		
			Made With PLASTIC Ties Only		
1		TR-101	"Phantom" w/tinplated outside rails 3.5, 4.21 or 5"	each	9.80
1		TR-102	"Phantom" w/stainless outside rails 3.5, 4.21 or 5"	each	10.55
1		TR-201	Regular w/tinplated rails 3.5, 4.21 or 5"	each	9.40
1		TR-202	Regular w/stainless rails 3.5, 4.21 or 5"	each	10.55
			O-42 Switch transition section 4.21" Centers		
1		TR-113/4	"Phantom" w/tinplated outside rails	each	5.85
1		TR-115/6	"Phantom" w/stainless outside rails	each	6.85
1		TR-213/4	Regular w/tinplated rails	each	5.45
1		TR-215/6	Regular w/stainless rails	each	6.85
			O-54 Switch transition section 5.45" Centers		
1		TR-133/4	"Phantom" w/tinplated outside rails	each	7.45
1		TR-135/6	"Phantom" w/stainless outside rails	each	8.30
1		TR-233/4	Regular w/tinplated rails	each	7.15
1		TR-235/6	Regular w/stainless rails	each	8.30
			O-72 Switch transition section 4.57" Centers		
1		TR-143/4	"Phantom" w/tinplated outside rails	each	7.45
1		TR-145/6	"Phantom" w/stainless outside rails	each	8.30
1		TR-243/4	Regular w/tinplated rails	each	7.15
1		TR-245/6	Regular w/stainless rails	each	8.30
			O-72 WYE Switch transition section 6.89" Centers		
1		TR-141	72 WYE "Phantom" w/tinplated outside rails	each	7.45
1		TR-142	72 WYE "Phantom" w/stainless outside rails	each	8.30
1		TR-241	72 WYE Regular w/tinplated rails	each	7.15
1		TR-242	72 WYE Regular w/stainless rails	each	8.30
			Standard Gauge Switch transition sections available in 8" only		
1		TR-503/4	Regular w/tinplated rails Std.	each	7.60
1		TR-505/6	Regular w/stainless rails Std.	each	8.70
1		TR-603/4	"Phantom" w/tinplated rails Std.	each	7.85
1		TR-605/6	"Phantom" w/stainless rails Std.	each	8.70
			O-54 Switch Makeup Curves		
1		MU-101-54	O-54 Makeup curve "Phantom" Tinplate	each	7.25
1		MU-102-54	O-54 Makeup curve "Phantom" Stainless	each	8.00
			O-72 Switch Makeup Curves for Plastic Tie Track		
1		MU-101-72	Makeup curve "Phantom" Tinplate	each	7.85
1		MU-102-72	Makeup curve "Phantom" Stainless	each	8.60
1		MU-201-72	Makeup curve Regular Tinplate	each	7.60
1		MU-202-72	Makeup curve Regular Stainless	each	8.60
			O-72 Switch Makeup Curves for Wood Tie Track		
1		WT-MU-101-72	Makeup curve "Phantom" Tinplate	each	7.25
1		WT-MU-102-72	Makeup curve "Phantom" Stainless (16)	each	8.00
1		WT-MU-201-72	Makeup curve Regular Tinplate	each	7.05
1		WT-MU-202-72	Makeup curve Regular Stainless	each	8.00