		ttt ledieste eries elemen AFTFD Contember 4st 0004		
		*** Indicates price change AFTER September 1st, 2021		
		Last Update 11/18/23		
Item	Product	GarGraves Product Discription		MSRP
Notes	No.	<u> </u>	Unit	Price
	101 0 1	Special Track Products		24.22
				31.90
				34.40
	•			31.90
	,	·		34.40 16.25
				16.25
				16.25
				13.95
				15.95
				15.95
				17.95
				31.90
				34.40
				14.60
				16.50
				14.20
	001 201		Guoii	11.20
		OO-Gauge Flexible & Sectional with WOOD Ties		
		OO Three Rail		
	711	37" Flexible OO-gauge Three rail w/Tinplated Rails	each	12.25
	42-711-SW	42" Diameter OO-gauge Three rail w/Tinplated Rails	each	12.40
	54-711-SW	54" Diameter OO-gauge Three rail w/Tinplated Rails	each	14.05
	63-711-SW	63" Diameter OO-gauge Three rail w/Tinplated Rails	each	14.70
	72-711-SW	72" Diameter OO-gauge Three rail w/Tinplated Rails	each	15.35
		OO-Two Rail		
	715		each	12.25
	42-715-SW		each	12.40
	54-715-SW	54" Diameter OO-gauge Two rail w/Tinplated Rails	each	14.05
		63" Diameter OO-gauge Two rail w/Tinplated Rails	each	14.70
	72-715-SW	·	each	15.35
	RRT-5.1A	*	each	79.00
	101			40.75
				12.75
	102		each	14.15
		•		
	W/T 20 404	•		44.05
		· ·		11.95 12.75
				13.10
		· · · · · · · · · · · · · · · · · · ·		13.10
				14.25
		· ·		15.10
	VV 1-04-10Z		cauli	13.10
	WT_63_101		pach	12.30
		· · · · · · · · · · · · · · · · · · ·		13.15
	WT-72-101	72" "Phantom" w/Tinplated Outside Rails	each	13.10
	1 * * 1 1 2 10 1	12 Thanton Williplated Outold Italia	Caul	10.10
		42-711-SW 54-711-SW 63-711-SW 72-711-SW 715 42-715-SW	102-Gantry 37" O-Gauge Phantom Stainless for use with Lionel Gantry Crane 201-Gantry 37" O-Gauge Regular Tinplate for use with Lionel Gantry Crane 202-Gantry 37" O-Gauge Regular Stainless for use with Lionel Gantry Crane 300-BK Track Bumper - Black - O Gauge 300-BK Track Bumper - Red - O Gauge 300-RD Track Bumper - Red - O Gauge 310-1 Single Lane Grade Crossing Kit - Undecorated - O Gauge 310-1 Single Lane Grade Crossing Kit - Undecorated - O Gauge 310-2 Two Lane Grade Crossing Kit - Undecorated - O Gauge 410-1 Single Lane Grade Crossing Kit - Brown - O Gauge 410-1 Two Lane Grade Crossing Kit - Brown - O Gauge 410-2 Two Lane Grade Crossing Kit - Brown - O Gauge 401-Gantry 37" S-Gauge Tinplate for use with Lionel Gantry Crane 402-Gantry 37" S-Gauge Tinplate for use with Lionel Gantry Crane 402-Gantry 37" S-rail Trestle Track "Phantom" w/Tinplate rails - 3 inch ties 102-Trestle 37" 5-rail Trestle Track "Phantom" w/Stainless rails - 3 inch ties 501-201 37" Standard & O-Gauge Frail w/Tinplated Rails 102-Trestle 37" Standard & O-Gauge Frail w/Tinplated Rails 104-711-SW 42" Diameter OO-gauge Three rail w/Tinplated Rails 42-711-SW 42" Diameter OO-gauge Three rail w/Tinplated Rails 42-711-SW 63" Diameter OO-gauge Three rail w/Tinplated Rails 54-711-SW 54" Diameter OO-gauge Three rail w/Tinplated Rails 72-711-SW 72" Diameter OO-gauge Three rail w/Tinplated Rails 72-711-SW 54" Diameter OO-gauge Three rail w/Tinplated Rails 72-711-SW 54" Diameter OO-gauge Three rail w/Tinplated Rails 72-711-SW 54" Diameter OO-gauge Two rail w/Tinplated Rails 72-715-SW 54" Dia	102-Cantry 37" O-Gauge Phantom Stainless for use with Lionel Gantry Crane each 201-Gantry 37" O-Gauge Regular Tinplate for use with Lionel Gantry Crane each 202-Cantry 37" O-Gauge Regular Stainless for use with Lionel Gantry Crane each 300-BK Track Bumper - Black - O Gauge each 300-BK Track Bumper - Red - O Gauge each 300-BK Track Bumper - Safety Yellow O- Gauge each 300-BK Track Bumper - Safety Yellow O- Gauge each 310-1 Single Lane Grade Crossing Kit - Undecorated - O Gauge each 410-1 Single Lane Grade Crossing Kit - Undecorated - O Gauge each 410-1 Single Lane Grade Crossing Kit - Brown - O Gauge each 410-2 Two Lane Grade Crossing Kit - Brown - O Gauge each 410-2 Two Lane Grade Crossing Kit - Brown - O Gauge each 410-2 Two Lane Grade Crossing Kit - Brown - O Gauge each 410-2 Track Bumper - Safety Yellow Grade Gantry Crane each 402-Gantry 37" S-Gauge Stainless for use with Lionel Gantry Crane each 402-Gantry 37" S-Gauge Stainless for use with Lionel Gantry Crane each 402-Gantry 37" S-Gauge Stainless for use with Lionel Gantry Crane each 402-Gantry 37" S-Gauge Stainless for use with Lionel Gantry Crane each 402-Gantry 37" Stail Trestle Track "Phantom" Witabialess rails - 3 inch ties each 402-Gantry 37" Standard & O-Gauge S-rail wiTinplated Rails each 600-Gauge Flexible & Sectional with WOOD Tries 600-Gauge Flexible & Sectional Rails each 600-Gauge Flexible & Sectional Rails

12	WT-80-101	80" "Phantom" w/Tinplated Outside Rails	each	14.25	
12	WT-80-102	80" "Phantom" w/Stainless Outside Rails	each	15.10	
12	WT-89-101	89" "Phantom" w/Tinplated Outside Rails	each	15.30	
12	WT-89-102	89" "Phantom" w/Stainless Outside Rails	each	16.10	
12	WT-96-101	96" "Phantom" w/Tinplated Outside Rails	each	15.75	
12	WT-96-102	96" "Phantom" w/Stainless Outside Rails	each	16.55	
12	WT-106-101	106" "Phantom" w/Tinplated Outside Rails	each	16.00	
12	WT-106-102	106" "Phantom" w/Stainless outside Rails	each	16.85	
		113" thru 138" 16 sections per circle			
16	WT-113-101	113" "Phantom" w/Tinplated Outside Rails	each	13.50	
16	WT-113-102	113" "Phantom" w/Stainless outside Rails	each	14.30	
16	WT-120-101	120" "Phantom" w/Tinplated Outside Rails	each	13.95	
16	WT-120-102	120" "Phantom" w/Stainless outside Rails	each	14.75	
16	WT-128-101	128" "Phantom" w/Tinplated Outside Rails	each	15.75	
16	WT-128-102	128" "Phantom" w/Stainless outside Rails	each	16.55	
16	WT-138-101	138" "Phantom" w/Tinplated Outside Rails	each	16.00	
16	WT-138-102	138" "Phantom" w/Stainless Outside Rails	each	16.85	
		O-Gauge "Phantom" Line Straight Sections Rigid			
12	WT-101-37	37" "Phantom" w/Tinplated Outside Rails	each	15.75	
12	WT-102-37	37" "Phantom" w/Stainless Outside Rails	each	16.55	
12	WT-101-24	24.8" "Phantom" w/Tinplated Outside Rails	each	12.05	
12	WT-102-24	24.8" "Phantom" w/Stainless Outside Rails	each	12.70	
12	WT-101-12	12.4" "Phantom w/Tinplated Outside Rails	each	8.65	
12	WT-102-12	12.4" "Phantom" w/Stainless Outside Rails	each	9.10	
12	WT-101-6	6.2" "Phantom" w/Tinplated Outside Rails	each	6.95	
12	WT-102-6	6.2" "Phantom" w/Stainless Outside Rails	each	7.30	
		O-Gauge "Phantom" Line Switches with DZ-2500 Switch Machine			
1	1103	RH 100" Radius Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	97.95	
1	1104	LH 100" Radius Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	97.95	
1	1105	RH 100" Radius Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	100.95	
1	1106	LH 100" Radius Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	100.95	
1	1113	RH O-42 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	97.95	
1	1114	LH O-42 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	97.95	
1	1115	RH O-42 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	100.95	
1	1116	LH O-42 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	100.95	
1	1133	RH O-54 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	97.95	
1	1134	LH O-54 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	97.95	
1	1135	RH O-54 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	100.95	
1	1136	LH O-54 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	100.95	
1	1141	O-72 WYE Switch w/Tinplated outside rails & DZ-2500 Switch Machine	each	97.95	
1	1142	O-72 WYE Switch w/Stainless outside rails & DZ-2500 Switch Machine	each	100.95	
1	1143	RH O-72 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	97.95	
1	1144	LH O-72 Switch w/Tinplated Outside Rails & DZ-2500 Switch Machine	each	97.95	
1	1145	RH O-72 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	100.95	
1	1146	LH O-72 Switch w/Stainless Outside Rails & DZ-2500 Switch Machine	each	100.95	
		"Phantom" Line Switches w/DZ-1000 Switch Machine<> Operating Tracks & Term	nina		
1	103	RH 100" Radius "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1	104	LH 100" Radius "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1	105	RH 100" Radius "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	106	LH 100" Radius "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	103-RC	RH 100" Radius "Phantom" Remote Control switch w/Tinplated outside rails	each	91.95	
1	104-RC	LH 100" Radius "Phantom" Remote Control switch w/Tinplated outside rails	each	91.95	
1	105-RC	RH 100" Radius "Phantom" Remote Control switch w/Stainless outside rails	each	94.95	
	106-RC	LH 100" Radius "Phantom" Remote Control switch w/Stainless outside rails	each	94.95	
1	107	Remote Control Magnetic Uncoupling Section "Phantom" Tinplate	each	59.90	

1	117	Compact Version, Remote Control Magnetic Uncoupling Section Tinplate	each	56.60	
1	108	Remote Control Magnetic UC/UL for operating cars "Phantom" Tinplate	each	78.40	
1	108-EM	Remote Control Magnetic UC/UL Same as 108 but w/magnet on end	each	78.40	
1	109	Remote Control Magnetic Uncoupling Section "Phantom" Stainless	each	62.10	
1	217	Compact Version, Remote Control Magnetic Uncoupling Section Stainless	each	58.80	
1	110	Remote Control Magnetic UC/UL for operating cars Phantom Stainless	each	80.60	
1	110-EM	Remote Control Magnetic UC/UL Same as 110 but w/magnet on end	each	80.60	
1	111	Terminal/Accessory Control Section "Phantom" Tinplate	each	19.05	
1	112	Terminal/Accessory Control Section "Phantom" Stainless	each	20.15	
1	113	RH O-42 "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1	114	LH O-42 "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1	115	RH O-42 "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	116	LH O-42 "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	113-RC	RH O-42 "Phantom" Remote Control switch w/Tinplated outside rails	each	91.95	
1	114-RC	LH O-42 "Phantom" Remote Remote switch w/Tinplated outside rails	each	91.95	
1	115-RC	RH O-42 "Phantom" Remote Control switch w/Stainless outside rails	each	94.95	
1	116-RC	LH O-42 "Phantom" Remote Control switch w/Stainless outside rails	each	94.95	
1	118	Remote Operating Car Track & Terminal Section Phantom Tinplate	each	51.15	
1	119	Remote Operating Car Track & Terminal Section Phantom Stainless	each	53.35	
1	121	90 Degree Crossing "Phantom" w/Tinplated outside Rails	each	32.65	
1	122	90 Degree Crossing "Phantom" w/mplace detaile rails	each	34.80	
1	133	R.H. O-54 "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1	134	L.H. O-54 "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1	135	R.H. O-54 "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	136	L.H. O-54 "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	133-RC	R.H. O-54 "Phantom" Remote Control switch w/Tinplated outside rails	each	91.95	
1	134-RC	L.H. O-54 "Phantom" Remote Control switch w/Tinplated outside rails	each	91.95	
1	135-RC	·		94.95	
		R.H. O-54 "Phantom" Remote Control switch w/Stainless outside rails	each		
1	136-RC	L.H. O-54 "Phantom" Remote Control switch w/Stainless outside rails	each	94.95	
1	141 142	O-72 WYE "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1		O-72 WYE "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	141-RC	O-72 WYE "Phantom" Remote Control switch w/Tinplated outside rails	each	91.95	
1	142-RC	O-72 WYE "Phantom" Remote Control switch w/Stainless outside rails	each	94.95	
1	143	R.H. O-72 "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1	144	L.H. O-72 "Phantom" Manual switch w/Tinplated outside rails	each	54.95	
1	145	R.H. O-72 "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	146	L.H. O-72 "Phantom" Manual switch w/Stainless outside rails	each	57.95	
1	143-RC	R.H. O-72 "Phantom" Remote Control switch w/Tinplated outside rails	each	91.95	
1	144-RC	L.H. O-72 "Phantom" Remote Control switch w/Tinplated outside rails	each	91.95	
1	145-RC	R.H. O-72 "Phantom" Remote Control switch w/Stainless outside rails	each	94.95	
1	146-RC	L.H. O-72 "Phantom" Remote Control switch w/Stainless outside rails	each	94.95	
		O-Gauge Regular Line Flexible Track with Wood Ties			
		With all Bright Rails			
50	201	Regular GarGraves 3 rail with Tinplated rails	each	12.75	
50	202	Regular GarGraves 3 rail with Stainless Steel rails	each	14.15	
		O-Gauge Regular Line with Wood Ties			
		Sectional Curved Sections - 8 per Circle			
8	WT-32-201	32" Regular w/Three Tinplated Rails	each	11.95	
8	WT-32-202	32" Regular w/Three Stainless Rails	each	12.75	
8	WT-42-201	42" Regular w/Three Tinplated Rails	each	13.10	
8	WT-42-202	42" Regular w/Three Stainless Rails	each	13.90	
8	WT-54-201	54" Regular w/Three Tinplated Rails	each	14.25	
8	WT-54-202	54" Regular w/Three Stainless Rails	each	15.10	
		63" thru 106" - 12 sections per circle			
12	WT-63-201	63" Regular w/Three Tinplated Rails	each	12.30	

12	WT-63-202	63" Regular w/Three Stainless Rails	each	13.15	
12	WT-72-201	72" Regular w/Three Tinplated Rails	each	13.10	
12	WT-72-202	72" Regular w/Three Stainless Rails	each	13.90	
12	WT-80-201	80" Regular w/Three Tinplated Rails	each	14.25	
12	WT-80-202	80" Regular w/Three Stainless Rails	each	15.10	
12	WT-89-201	89" Regular w/Three Tinplated Rails	each	15.30	
12	WT-89-202	89" Regular w/Three Stainless Rails	each	16.10	
12	WT-96-201	96" Regular /Three Tinplated Rails	each	15.75	
12	WT-96-202	96" Regular w/Three Stainless Rails	each	16.55	
12	WT-106-201	106" Regular w/Three Tinplated Rails	each	16.00	
12	WT-106-202	106" Regular w/Three Stainless Rails	each	16.85	
		113" thru 138" - 16 sections per circle		10.00	
16	WT-113-201	113" Regular w/Three Tinplated Rails	each	13.50	
16	WT-113-202	113" Regular w/Three Stainless Rails	each	14.30	
16	WT-120-201	120" Regular w/Three Tinplated Rails	each	13.95	
16	WT-120-202	120" Regular /Three Stainless Rails	each	14.75	
16	WT-128-201	128" Regular w/Three Tinplated Rails	each	15.75	
16	WT-128-202	128" Regular w/Three Stainless Rails	each	16.55	
16	WT-138-201	138" Regular w/Three Tinplated Rails	each	16.00	
16	WT-138-202	138" Regular w/Three Stainless Rails	each	16.85	
-		O-Gauge Regular Line Straight Sections Rigid			
12	WT-201-37	37" Regular Straight w/3 Tinplated	each	15.75	
12	WT-202-37	37" Regular Straight w/3 Stainless Rails	each	16.55	
12	WT-201-24	24.8" Regular Straight w/3 Tinplated Rails	each	12.05	
12	WT-202-24	24.8" Regular Straight w/3 Stainless Rails	each	12.70	
12	WT-201-12	12.4" Regular Straight w/3 Tinplated	each	8.65	
12	WT-202-12	12.4" Regular Straight w/3 Stainless Rails	each	9.10	
12	WT-201-6	6.2" Regular Straight w/3 Tinplated Rails	each	6.95	
12	WT-202-6	6.2" Regular Straight w/3 Stainless Rails	each	7.30	
		O-Gauge Regular Line Switches with DZ-2500 Switch Machine			
1	2203	RH 100" Radius Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	97.95	
1	2204	LH 100" Radius Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	97.95	
1	2205	RH 100" Radius Switch w/Stainless Rails & DZ-2500 Switch Machine	each	100.95	
1	2206	LH 100" Radius Switch w/Stainless Rails & DZ-2500 Switch Machine	each	100.95	
1	2213	RH O-42 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	97.95	
1	2214	LH O-42 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	97.95	
1	2215	RH O-42 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	100.95	
1	2216	LH O-42 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	100.95	
1	2233	RH O-54 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	97.95	
1	2234	LH O-54 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	97.95	
1	2235	RH O-54 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	100.95	
1	2236	LH O-54 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	100.95	
1	2241	O-72 WYE Switch w/Tinplated rails & DZ-2500 Switch Machine	each	97.95	
1	2242	O-72 WYE Switch w/Stainless rails & DZ-2500 Switch Machine	each	100.95	
1	2243	RH O-72 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	97.95	
1	2244	LH O-72 Switch w/Tinplated Rails & DZ-2500 Switch Machine	each	97.95	
1	2245	RH O-72 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	100.95	
1	2246	LH O-72 Switch w/Stainless Rails & DZ-2500 Switch Machine	each	100.95	
	O-Ga	uge Regular Line Switches w/DZ-1000 Switch Machine<>Operating Tracks & Termina	Tracks		
1	203	RH 100" Radius Regular Manual switch w/Tinplated rails	each	54.95	
1	204	LH 100" Radius Regular Manual switch w/Tinplated rails	each	54.95	
1	205	RH 100" Radius Regular Manual switch w/Stainless rails	each	57.95	
1	206	LH 100" Radius Regular Manual switch w/Stainless rails	each	57.95	
1	203-RC	RH 100" Radius Regular Remote Control switch w/Tinplated rails	each	91.95	
1	204-RC	LH 100" Radius Regular Remote Control switch w/Tinplated rails	each	91.95	

1	205-RC	RH 100" Radius Regular Remote Control switch w/Stainless rails	each	94.95	
1	206-RC	LH 100" Radius Regular Remote Control switch w/Stainless rails	each	94.95	
1	207	Remote Control Magnetic Uncoupling section Tinplated rails	each	59.90	
1	208	Remote Control Magnetic UC/UL for operating cars Tinplated rails	each	78.40	
1	208-EM	Remote Control Magnetic UC/UL Same as 208 but w/magnet on end	each	78.40	
1	209	Remote Control Magnetic Uncoupling section Stainless rails	each	62.10	
1	210	Remote Control Magnetic UC/UL for operating cars Stainless rails	each	80.60	
1	210-EM	Remote Control Magnetic UC/UL Same as 210 but w/magnet on end	each	80.60	
1	211	Terminal/Accessory Control Section Tinplated rails	each	19.05	
1	212	Terminal/Accessory Control Section Stainless rails	each	20.15	
1	213	RH O-42 Regular Manual switch w/Tinplated rails	each	54.95	
1	214	LH O-42 Regular Manual switch w/Tinplated rails	each	54.95	
1	215	RH O-42 Regular Manual switch w/Stainless rails	each	57.95	
1	216	LH O-42 Regular Manual switch w/Stainless rails	each	57.95	
1	213-RC	RH O-42 Regular Remote Control switch w/Tinplated rails	each	91.95	
1	214-RC	LH O-42 Regular Remote Control switch w/Tinplated rails	each	91.95	
1	215-RC	RH O-42 Regular Remote Control switch w/Stainless rails	each	94.95	
1	216-RC	LH O-42 Regular Remote Control switch w/Stainless rails	each	94.95	
1	218	Remote Operating Car Track & Terminal Section Regular Tinplate	each	51.15	
1	219	Remote Operating Car Track & Terminal Section Regular Stainless	each	53.35	
1	221	90 Degree Crossing w/Tinplated Rails	each	32.65	
1	222	90 Degree Crossing w/ Implated Rails	each	34.80	
1	233	R.H. O-54 Regular Manual switch w/Tinplated outside rails	each	54.95	
1	234	L.H. O-54 Regular Manual switch w/Tinplated outside rails	each	54.95	
1	235	R.H. O-54 Regular Manual switch w/Stainless outside rails	each	57.95	
1	236	L.H. O-54 Regular Manual switch w/Stainless outside rails	each	57.95	
1	233-RC			91.95	
1	234-RC	R.H. O-54 Regular Remote Control switch w/Tinplated rails	each	91.95	
		L.H. O-54 Regular Remote Control switch w/Tinplated rails	each		
1	235-RC	R.H. O-54 Regular Remote Control switch w/Stainless rails	each	94.95	
1	236-RC	L.H. O-54 Regular Remote Control switch w/Stainless rails	each	94.95	
1	243	R.H. O-72 Regular Manual switch w/Tinplated rails	each	54.95	
1	244	L.H. O-72 Regular Manual switch w/Tinplated rails	each	54.95	
1	245	R.H. O-72 Regular Manual switch w/Stainless rails	each	57.95	
1	246	L.H. O-72 Regular Manual switch w/Stainless rails	each	57.95	
1	241	O-72 WYE Regular Manual switch w/Tinplated outside rails	each	54.95	
1	242	O-72 WYE Regular Manual switch w/Stainless outside rails	each	57.95	
1	241-RC	O-72 WYE Regular Remote Control switch w/Tinplated outside rails	each	91.95	
1	242-RC	O-72 WYE Regular Remote Control switch w/Stainless outside rails	each	94.95	
1	243-RC	R.H. O-72 Regular Remote Control switch w/Tinplated rails	each	91.95	
1	244-RC	L.H. O-72 Regular Remote Control switch w/Tinplated rails	each	91.95	
1	245-RC	R.H. O-72 Regular Remote Control switch w/Stainless rails	each	94.95	
1	246-RC	L.H. O-72 Regular Remote Control switch w/Stainless rails	each	94.95	
		O-Gauge 2-Rail Flexible Track with Wood Ties			
50	301	2-Rail O-Gauge with Tinplated rails and Wood ties	each	12.05	
50	302	2-Rail O-Gauge with Stainless rails and Wood ties	each	13.70	
		S-Gauge 2-Rail with Wood Ties			
50	401	S-Gauge with Tinplated rails	each	12.05	
50	402	S-Gauge with Stainless rails	each	13.70	
		S-Gauge Curves - Wood Ties - Eight per Circle			
8	42-401SW	42" S-Gauge w/Tinplated Rails	each	12.00	
8	42-402SW	42" S-Gauge w/Stainless Rails	each	12.80	
8	54-401SW	54" S-Gauge w/Tinplated Rails	each	13.70	
8	54-402SW	54" S-Gauge w/Stainless Rails	each	14.75	
8	63-401SW	63" S-Gauge w/Tinplated Rails	each	15.10	
8	63-402SW	63" S-Gauge w/Stainless Rails	each	15.45	
	_				

8		72-401SW	72" S-Gauge w/Tinplated Rails	each	15.95	
8		72-402SW	72" S-Gauge w/Stainless Rails	each	16.75	
		12 402000	S-Gauge Straight Sections Rigid	Caon	10.70	
12		401SW	37" S-Gauge w/Tinplated Rails	each	15.25	
12		402SW	37" S-Gauge w/Stainless Rails	each	16.05	
12		401SW-24	24.8" S-Gauge w/Tinplated Rails	each	11.20	
12		402SW-24	24.8" S-Gauge w/Stainless Rails	each	11.80	
12		401SW-12	12.4" S-Gauge w/Tinplated Rails	each	8.50	
12		402SW-12	12.4" S-Gauge w/Stainless Rails	each	8.90	
12		401SW-6	6.2" S-Gauge w/Tinplated Rails	each	6.60	
12		402SW-6	6.2" S-Gauge w/Stainless Rails	each	6.90	
12		102011 0	S-Gauge Switches	Caon	0.00	
1		403	R.H. 42" S-Gauge Manual switch w/Tinplated rails	each	52.10	
1		404	L.H. 42" S-Gauge Manual switch w/Tinplated rails	each	52.10	
1		405	R.H. 42" S-Gauge Manual switch w/Stainless rails	each	55.25	
1		406	L.H. 42" S-Gauge Manual switch w/Stainless rails	each	55.25	
•		100	Standard Gauge Regular Line Flexible Track with Wood Ties	Cuon	00.20	
36		501	Standard Gauge Regular w/Tinplated rails and Wood ties	each	13.15	
36		502	Standard Gauge Regular w/Ymplated rails and Wood ties	each	14.45	
30		302	Standard Gauge "Phantom" Line Flexible Track with Wood Ties	Caon	17.70	
36		601	Standard Gauge :Phantom" w/Tinplated rails and Wood ties	each	13.15	
36		602	Standard Gauge "Phantom" w/Stainless outside rails and Wood ties	each	14.45	
30		002	No. 1 Gauge (G) 2-Rail Flexible Track with Wood Ties	eacii	14.43	
36		701	No. 1 Gauge (3) 2-Nail Flexible Frack with Wood Fles No. 1 Gauge 2-Rail w/Tinplated rails and Wood ties	each	12.25	
36		702	No. 1 Gauge 2-Rail w/Ymphated rails and Wood ties	each	13.85	
30		102	Track Pins <> Strip Connectors <> Retaining Clips	Cacii	13.03	
		800	GarGraves Insulating Pins	pkg/12	3.50	
1	***	801	O-Gauge mating pins Lionel to GarGraves	pkg/12	15.95	
1	***	802	O-27-Gauge mating pins Lionel to GarGraves	pkg/12 pkg/12	15.95	
1		803	GarGraves track pins (Nickel Silver)	pkg/12 pkg/12	2.25	
1		803-3	GarGraves Track Pins (1-oz Pkg. Approximately 80 pins)	1 oz.pkg	9.80	
1		910-4	Fit-Up Blades (Strip Track Connectors) Stainless Steel	pkg/25	5.45	
1		310-4	Midwest Cork Roadbed	pkg/25	3.43	
1	***	3016	O-Gauge Roadbed, 25 pieces per box, 75 feet, 3' x 5mm	box	75.18	
1	***	3013	HO- Gauge Roadbed, 25 pieces per box, 75 feet, 3' x 5mm	box	54.58	
1	***	3014	O & HO Sheets (box of 9) 5" x 36" x 5mm	box	51.78	
1		3014	Miscellaneous	DOX	31.70	
1		001	Flexible track instruction	each	n/c	
1		001	Product Catalog	each	n/c	
1		LBB-GG	GarGraves Lighted Blinking Billboard	each	12.50	
1		804	Ties Bundle/12 (Specify Gauge & with or without slots)	doz	1.10	
1		810-8	8" Rail Load - Pkg. 12	Pkg/12	9.80	
1		810-12	12" Rail Load - Pkg. 12	Pkg/12	10.90	
1		805	Momentary contact push button switch	each	7.10	
1		83985	GYROS 1/8" Mandrel for use with disks in Dremel Tool	each	6.59	
1		93108	GYROS Reinforced Cutoff disks 2" diameter		7.99	
		0-BSP		pkg/2		
1			O-Gauge Ballast Spreader	each	3.25	
4		S-BSP	S-Gauge Ballast Spreader	each	3.25	
1		Tie-Ext	Switch Tie Extention	each	3.20	

			Track Screws			
1		806-25	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/25	3.25	
1		806-5	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/50	3.80	
1		806-1	Track Screws, #4 x 3/8" Phillips Pan Head Black	pkg/100	5.65	
1		806-2	Track Screws, #4 x 3/8" Phillips Pan Head Black - Approx. Qty. 920	Pound	35.90	
1		807-25	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/25	3.25	
1		807-5	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/50	3.80	
1		807-1	Track Screws, #4 x 1/2" Phillips Pan Head Black	pkg/100	5.65	
1		807-2	Track Screws, #4 x 1/2" Phillips Pan Head Black - Approx. Qty. 760	Pound	30.45	
1		808-25	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/25	3.25	
1	***	808-5	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/50	4.95	
1	***	808-1	Track Screws, #4 x 3/4" Phillips Pan Head Black	pkg/100	8.45	
1	***	808-2	Track Screws, #4 x 3/4" Phillips Pan Head Black - Approx. Qty. 550	Pound	38.95	
1		809-25	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/25	3.80	
1		809-5	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/50	4.75	
1		809-1	Track Screws, #4 x 1" Phillips Pan Head Black	pkg/100	6.55	
1		809-2	Track Screws, #4 x 1" Phillips Pan Head Black - Approx. Qty. 400	Pound	21.75	
1			Wire			
			Pigtail connectors for power feed connections & Bulk Wire			
1		930B-12	8" Pigtail , 16 AWG, Black with GarGraves track pin	pkg/12	16.85	
1		930B-24	8" Pigtail , 16 AWG, Black with GarGraves track pin	pkg/24	29.95	
1		931B-12	8" Pigtail , 16 AWG, Black with Quick connect spade	pkg/12	16.85	
1		931B-24	8" Pigtail , 16 AWG, Black with Quick connect spade	pkg/24	29.95	
1		932B-12	8" Pigtail , 16 AWG, Black with Forked connector	pkg/12	16.85	
1		932B-24	8" Pigtail , 16 AWG, Black with Forked connector	pkg/24	29.95	
1		930W-12	8" Pigtail , 16 AWG, White with GarGraves track pin	pkg/12	16.85	
1		930W-24	8" Pigtail , 16 AWG, White with GarGraves track pin	pkg/24	29.95	
1		931W-12	8" Pigtail , 16 AWG, White with Quick connect spade	pkg/12	16.85	
1		931W-24	8" Pigtail , 16 AWG, White with Quick connect spade	pkg/24	29.95	
1		932W-12	8" Pigtail , 16 AWG, White with Forked connector	pkg/12	16.85 29.95	
1		932W-24 930R-12	8" Pigtail , 16 AWG, White with Forked connector 8" Pigtail , 16 AWG, Red with GarGraves track pin	pkg/24	16.85	
1		930R-12 930R-24	8" Pigtail , 16 AWG, Red with GarGraves track pin	pkg/12 pkg/24	29.95	
1		931R-12	8" Pigtail , 16 AWG, Red with GarGraves track pin	pkg/24 pkg/12	16.85	
1		931R-12 931R-24	8" Pigtail , 16 AWG, Red with GarGraves track pin	pkg/12 pkg/24	29.95	
1		930B/R-12	8" Pigtail, 16 AWG6 ea. Black & Red with GarGraves Track Pin	pkg/24 pkg/12	16.85	
1		930B/W-12	8" Pigtail , 16 AWG, 6ea Black & White w/GarGraves track pin	pkg/12	16.85	
1		931B/W-12	8" Pigtail , 16 AWG, 6ea Black/White w/Quick connect spade	pkg/12	16.85	
1		932B/W-12	8" Pigtail , 16 AWG, 6ea Black/White w/Forked connector	pkg/12	16.85	
1	***	1CW16-1BLK	Single Conductor, Stranded 16 Gauge Wire, BLACK, 100' Spool	each	28.25	
1	***	1CW16-1WHT	Single Conductor, Stranded 16 Gauge Wire, WHITE, 100' Spool	each	28.25	
1	***	1CW16-1RED	Single Conductor, Stranded 16 Gauge Wire, RED, 100' Spool	each	28.25	
1		3CW22-1	3-conductor 22-gauge flat wire Ylw, Red, Grn 100' spool	each	37.50	
1		2CW18-1	2-conductor 18-gauge flat wire Blk,Wht 100' spool	each	42.50	
1	***	3CW18-1	3-conductor 18-gauge flat wire Blk,Red,Wht 100' spool	each	59.90	
			Stainless Steel Solderless Track Connectors			
1		909-1	Stainless Connectors, 2 #909 & 1 #910-1	pkg/3	5.10	
1		909	Stainless Connector for Outside Rails	pkg/3	5.10	
1		910-1	Stainless Connector for Center Rail O-Gauge	pkg/3	5.10	
1		910-2	Stainless Connector for Center Rail Standard Gauge	pkg/3	5.10	
1		909-B	Stainless Connector for Outside Rails Bulk	pkg/72	115.00	
1		910-B	Stainless Connector for Center Rail O-Gauge Bulk	pkg/72	115.00	
			Tinplated Steel Solderless Track Connectors			
1		911-1	Tinplated Connectors 2 #911 & 1 #912-1	pkg/3	5.10	
1		911-12	Tinplated Connectors 1#911 & 1 #912-2 For use with S-Gauge track	pkg/2	5.10	·
1		911	Tinplated Connector for Outside Rails	pkg/3	5.10	

1		912-1	Tinplated Connector for Center Rail O-Gauge	pkg/3	5.10	
1		912-2	Tinplated Connector for Center Rail Standard Gauge	pkg/3	5.10	
1		911-B	Tinplated Connectors for Outside Rails Bulk	pkg/72	115.00	
1		912-1B	Tinplated Connectors for Center Rail O-Gauge Bulk	pkg/72	115.00	
'		312 15	Caboose Industries Ground Throws	pkg/12	110.00	
1	***	913	Ground Throw #208SSprung for O-Gauge .280" Travel	each	3.65	
1	***	914	Ground Throw #101RRigid for HO-Gauge .190" Travel	each	3.35	
1	***	915	Ground Throw #202-SSprung for HO-Gauge .190" Travel	each	3.60	
1	***	916	Ground Throw #105RRigid for N-Gauge .135" Travel	each	3.35	
1	***	917	Ground Throw #206SSprung for N-Gauge .135" Travel	each	3.60	
1	***	918	Ground Throw #107RRigid for O-Gauge .280" Travel	each	3.50	
1		919	Ground Throw #103RRigid for HO-Gauge .190" Travel	each	7.20	
1	***	920	Ground Throw #204SSprung for HO-Gauge .190" Travel	each	7.55	
1	***	921	Ground Throw #109RRigid Stand for HO .190" Travel	each	4.50	
1	***	922	Ground Throw #210S Sprung Stand for HO .190" Travel	each	4.80	
'		322	Miniature Lamps - Screw Base	Caon	7.00	
10	***	1499	Lamp - Clear - 14 volt	each	1.20	
10	***	1499G	Lamp - Green - 14 volt	each	1.50	
10	***	1499R	Lamp - Red - 14 volt	each	1.50	
10	***	1500	Lamp - Clear - 18 volt	each	1.20	
10	***	1500A	Lamp - Amber - 18 volt	each	1.50	
10	***	1500A	Lamp - Blue - 18 volt	each	1.50	
10	***	1500G	Lamp - Green - 18 volt	each	1.50	
10	***	1500G	Lamp - Red - 18 volt		1.50	
10		TOUCK	·	each	1.50	
10		1445	Miniature Lamps - Bayonet Base	oooh	1.20	
10 10		1445 1445G	Lamp - Clear - 18 volt	each	1.50	
			Lamp - Green - 18 volt	each		
10		1445R	Lamp - Red - 18 volt	each	1.50	
			Acme Switch Controllers & Terminal Panels for All Gauges			
4		1894	Switch Controller With Indicator Lights	aaah	18.90	
1		1888	Switch Controller with lights (flush mount)	each	19.80	
ı		1000	Switch Controller with lights & surface mounting frame	each	19.00	
1		1303	Switch Control Panels for Flush Mounting w/o lights	aaah	0.10	
1		1303	To operate 3 switch machines	each	8.10	
4		1403	Switch Control Panels with Mounting Frame w/o lights	aaah	0.55	
1		1403	To operate 3 switch machines	each	9.55	
			7 STILEE for Trains O Course Accessories			
1	***	DZ-1000	Z-STUFF for Trains - O Gauge Accessories	occh	39.95	
1	***	DZ-1000 DZ-1002	Switch machine & Controller w/2 spring links (retrofit GarGraves & Custom switches Switch Controller w/red & green LED's	each	10.75	
1		DZ-1002 DZ-1003	· · · · · · · · · · · · · · · · · · ·	each	2.86	
1		DZ-1003 DZ-1004	Throw springs for GarGraves switches	pkg/5	2.86	
1		DZ-1004 DZ-1005	Throw springs for Atlas O switches	pkg/5	2.86	
1		DZ-1005 DZ-1008A	Throw springs for Atlas O switches	pkg/5	19.75	
1	***	DZ-1006A DZ-1010	SPDT Relay Module	each	218.00	
			Crossing Gate Set with 2 Block Signal Detectors	each		
1		DZ-1011	Block Signal Detectors	pkg/2	38.50	
1		DZ-1012V	Block Signal	each	39.50	
1	***	DZ-1015	Speaker, 8 Ohm with enclosure	each	16.25	
1	***	DZ-1020	Crossing Signal Set with 2 Block Detectors	each	190.00	
1	***	DZ-1030	WigWag Signal with (2) Block Signal Detectors	each	220.50	

1		DZ-1040-LQ	Semaphore Lower Quadrant	each	97.90	
1		DZ-1040-UQ	Semaphore Upper Quadrant	each	97.90	
1		DZ-1050V	Three Light Signal	each	80.30	
1		DZ-1052V	Hooded 3 Color Signal	each	85.80	
1		DZ-1060V	PRR Type Seven Light Position Signal	each	85.80	
1		DZ-1065V	3 Color Target Signal	each	85.80	
1		DZ-1065V-2	Dual Head - 3 Color Target Signal	each	92.40	
1		DZ-1065V-3	Dual Head - 3 Color & Single Head Red Target Signal	each	104.50	
1		DZ-1003V-3	Trackside Sensor with 2 Outputs	each	33.88	
1	***	DZ-1070 DZ-1075	Trackside Sensor w/.0.9A Dual Solid State Relays		59.50	
1	***	DZ-1075 DZ-1075M	Trackside Sensor w/Momentary 0.9A Dual Solid State Relays	each	59.50	
		DZ-1075W		each	84.70	
1			Color - Position Trackside Signal	each		
1		DZ-1090-40U-2	Siginal Bridge w/upper semaphore - 2 tracks	each	217.80	
1		DZ-1090-50-2	Siginal Bridge w/3 color - 2 tracks	each	200.00	
1		DZ-1090-60-2	Siginal Bridge w/7-light Pennsy signal 2-tracks	each	209.00	
1		DZ-1090-80-2	Signal Bridge w/Color Position Signal - 2 Tracks	each	206.80	
1		DZ-1210	Barcode Supports for DZ-1200	each	8.25	
1		DZ-1215	Barcode Strips 1-set for DZ-1200	each	9.00	
1	***	DZ-1240AC/DC	Auto-Reverse w/Horn or Stop control	each	74.00	
1		DZ-2001L	Data Line Driver-TMCC & LEGACY	each	26.40	
1		DZ-2500	Switch Machine w/DZ-2502 & GarGraves, /Ross/Curtis & Atlas springs	each	48.40	
1		DZ-2502	Switch Machine Remote Controller	each	7.97	
1		DZ-2503	Bag, 5 Springs #103 for Curtis & Ross switches	each	1.98	
1		DZ-2504	Bag, 5 Springs #104 for Atlas Switches	each	1.98	
1		DZ-2505	Bag, 5 Springs #105 for GarGraves Switches	each	1.98	
_		200 2000	Circuitron Electronics		04.05	
1		800-6000	Tortoise Switch machine	each	24.95	
		800-6006	Tortoise Switch machine - 6 PACK	each	146.00	
		800-6012	Tortoise Switch Machine - 12 PACK	each	285.00	
1		800-7212	110 VAC Wall power pack with 12 VDC output Will power up to 30 Tortoise	each	15.95	
			N J International Switch Machines & Accessories			
1		6003	Under Layout mounting kit (Pkg/2)	each	4.99	
			NJ International Signals & Controls			
1		3050	Tri-Color signal type G Hooded target O-scale	each	39.99	
			"Dhankara" Lina Caskia ad Turah			
			"Phantom" Line Sectional Track With Black Plastic Ties			
			Curved Sections W/Tinplated Outside Rails			
		00.4040	32" thru 72" 8 sections per circle		44.6=	
8		32-101S	32" "Phantom" w/Tinplated Outside Rails	each	11.95	
8		32-102S	32" "Phantom" ww/Stainless Outside Rails	each	12.75	

8	42-101S	42" "Phantom" w/Tinplated Outside Rails	each	13.10	
8	42-102S	42" "Phantom" w/Stainless Outside Rails	each	13.90	
8	54-101S	54" "Phantom" w/Tinplated Outside Rails	each	14.25	
8	54-102S	54" "Phantom" w/Stainless Outside Rails	each	15.10	
8	63-101S	63" "Phantom" w/Tinplated Outside Rails	each	15.75	
8	63-102S	63" "Phantom" w/Stainless Outside Rails	each	16.55	
8	72-101S	72" "Phantom" w/Tinplated Outside Rails	each	16.55	
8	72-102S	72" "Phantom"w/Stainless Outside Rails	each	17.50	
		80" & over 12 sections per circle			
12	80-101S	80" "Phantom" w/Tinplated Outside Rails	each	14.25	
12	80-102S	80" "Phantom" w/Stainless Outside Rails	each	15.10	
12	89-101S	89" "Phantom" w/Tinplated Outside Rails	each	15.30	
12	89-102S	89" "Phantom" w/Stainless Outside Rails	each	16.10	
12	96-101S	96" "Phantom" w/Tinplated Outside Rails	each	15.75	
12	96-102S	96" "Phantom" w/Stainless Outside Rails	each	16.55	
12	106-101S	106" "Phantom" w/Tinplated Outside Rails	each	16.00	
12	106-102S	106" "Phantom" w/Stainless Outside Rails	each	16.85	
12	113-101S	113" "Phantom" w/Tinplated Outside Rails	each	16.70	
12	113-102S	113" "Phantom" w/Stainless Otside Rails	each	17.65	
12	120-101S	120" "Phantom" w/Tinplated Outside Rails	each	17.10	
12	120-102S	120" "Phantom" w/Stainless Outside Rails	each	18.10	
		Over 120" 16 sections per circle			
16	128-101S	128" "Phantom" w/Tinplated Outside Rails	each	15.75	
16	128-102S	128" "Phantom" w/Stainless Outside Rails	each	16.55	
16	138-101S	138" "Phantom" w/Tinplated Outside Rails	each	16.00	
16	138-102S	138" "Phantom" w/Tinplated Outside Rails	each	16.85	
		Straight Sections Rigid			
12	101S-37	37" "Phantom" w/Tinplated Outside Rails	each	15.75	
12	102S-37	37" "Phantom w/Stainless Outside Rails	each	16.55	
12	101S-24	24.8" "Phantom" w/Tinplated Outside Rails	each	12.05	
12	102S-24	24.8" "Phantom" w/Stainless Outside Rails	each	12.70	
12	101S-12	12.4" "Phantom w/Tinplated Outside Rails	each	8.65	
12	102S-12	12.4" "Phantom" w/Stainless Outside Rails	each	9.10	
12	101S-6	6.2" "Phantom" w/Tinplated Outside Rails	each	6.95	
12	102S-6	6.2" "Phantom" w-Stainless Outside Rails	each	7.30	
		Straight Sections Flexible - Black Plastic Ties			
12	101F	37" "Phantom" w/Tinplated Outside Rails	each	14.75	
12	102F	37" "Phantom" w/Stainless Outside Rails	each	15.60	
		O-Gauge Regular Line Sectional Track			
		Curved Sections with Black Plastic Ties			
		32" thru 72" 8 sections per circle			
8	32-201S	32" Regular w/Three Tinplated Rails	each	11.95	
8	32-202S	32" Regular w/Three Stainless Rails	each	12.75	
8	42-201S	42" Regular w/Three Tinplated Rails	each	13.10	
8	42-202S	42" Regular w/Three Stainless Rails	each	13.90	
8	54-201S	54" Regular w/Three Tinplated Rails	each	14.25	
8	54-202S	54" Regular w/Three Stainless Rails	each	15.10	
8	63-201S	63" Regular w/Three Tinplated Rails	each	15.75	
8	63-202S	63" Regular w/Three Stainless Rails	each	16.55	
8	72-201S	72" Regular w/Three Tinplated Rails	each	16.55	
8	72-202S	72" Regular w/Three Stainless Rails	each	17.50	
		80 & over 12 sections per circle			
12	80-201S	80" Regular w/Three Tinplated Rails	each	14.25	
12	80-202S	80" Regular w/Three Stainless Rails	each	15.10	
12	89-201S	89" Regular w/Three Tinplated Rails	each	15.30	

12	89-202S	89" Regular w/Three Stainless Rails	each	16.10	
12	96-201S	96" Regular w/Three Statilless Rails	each	15.75	
12	96-202S	96" Regular w/Three Stainless Rails	each	16.55	
12	106-201S	106" Regular w/Three Tinplated Rails	each	16.00	
12	106-202S	106" Regular w/Three Stainless Rails	each	16.85	
12	113-201S	113" Regular w/Three Tinplated Rails	each	16.70	
12	113-202S	113" Regular w/Three Stainless Rails	each	17.65	
12	120-201S	120" Regular w/Three Tinplated Rails	each	17.10	
12	120-202S	120" Regular w/Three Stainless Rails	each	18.10	
		Over 120" 16 sections per circle			
16	128-201S	128" Regular w/Three Tinplated Rails	each	15.75	
16	128-202S	128" Regular w/Three Stainless Rails	each	16.55	
16	138-201S	138" Regular w/Three Tinplated Rails	each	16.00	
16	138-202S	138" Regular w/Three Stainless Rails	each	16.85	
		Straight Sections Rigid			
12	201S	37" Regular Straight w/Three Tinplated Rails	each	15.75	
12	202S	37" Regular Straight w/Three Stainless Rails	each	16.55	
12	201S-24	24.8" Regular Straight w/Three Tinplated Rails	each	12.05	
12	202S-24	24.8" Regular Straight w/Three Stainless Rails	each	12.70	
12	201S-12	12.4" Regular Straight w/Three Tinplated Rails	each	8.65	
12	202S-12	12.4" Regular Straight w/Three Stainless Rails	each	9.10	
12	201S-6	6.2" Regular Straight w/Three Tinplated Rails	each	6.95	
12	202S-6	6.2" Regular Straight w/Three Stainless Rails	each	7.30	
		Straight Sections Flexible - Black Plastic Ties			
12	201F	37" Regular w/Three Tinplated Rails	each	14.75	
12	202F	37" Regular w/Three Stainless Rails	each	15.60	
		Switch Transition Offset Sections for Parallel Tracks			
		Specify desired center to center distance for 100" radius Switch			
1	TD 404	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only	aaah	14.20	
1	TR-101	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5"	each	14.20	
1	TR-102	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5"	each	15.05	
1 1	TR-102 TR-201	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5"	each each	15.05 14.20	
1	TR-102	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5"	each	15.05	
1 1 1	TR-102 TR-201 TR-202	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers	each each each	15.05 14.20 15.05	
1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails	each each each	15.05 14.20 15.05 9.90	
1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails	each each each each each	15.05 14.20 15.05 9.90 11.00	
1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails	each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90	
1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails Regular w/stainless rails	each each each each each	15.05 14.20 15.05 9.90 11.00	
1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails Regular w/stainless rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers	each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90	
1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails Regular w/stainless rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00	
1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/tinplated outside rails "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails "Phantom" w/stainless outside rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60	
1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6 TR-233/4	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/tinplated outside rails Regular w/stainless outside rails Regular w/stainless outside rails Regular w/tinplated rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65	
1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails "Phantom" w/stainless outside rails Regular w/stainless outside rails Regular w/stainless rails Regular w/stainless rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60	
1 1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6 TR-233/4 TR-235/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails Regular w/stainless outside rails Regular w/stainless rails Regular w/stainless rails Regular w/stainless rails Regular w/stainless rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65	
1 1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6 TR-233/4 TR-235/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/stainless outside rails "Phantom" w/stainless outside rails Regular w/tinplated outside rails Regular w/tinplated rails Regular w/stainless rails Regular w/stainless rails O-72 Switch transition section 4.57" Centers "Phantom" w/tinplated outside rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65	
1 1 1 1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6 TR-233/4 TR-235/6 TR-235/6 TR-143/4 TR-145/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/stainless outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails Regular w/tinplated rails Regular w/stainless rails O-72 Switch transition section 4.57" Centers "Phantom" w/stainless outside rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65 12.60	
1 1 1 1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6 TR-233/4 TR-235/6 TR-143/4 TR-145/6 TR-145/6 TR-243/4	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails Regular w/stainless rails O-72 Switch transition section 4.57" Centers "Phantom" w/stainless rails Regular w/stainless outside rails Regular w/stainless outside rails "Phantom" w/stainless outside rails Regular w/tinplated outside rails Regular w/tinplated rails Regular w/tinplated rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65 12.60 11.65	
1 1 1 1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6 TR-233/4 TR-235/6 TR-235/6 TR-143/4 TR-145/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless outside rails Regular w/stainless outside rails Regular w/stainless outside rails Regular w/tinplated outside rails Regular w/tinplated rails Regular w/tinplated rails Regular w/tinplated rails Regular w/stainless rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65 12.60	
1 1 1 1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-135/6 TR-233/4 TR-235/6 TR-235/6 TR-143/4 TR-145/6 TR-245/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/tinplated rails Regular w/tinplated rails Regular w/stainless rails O-72 Switch transition section 4.57" Centers "Phantom" w/stainless outside rails Regular w/tinplated outside rails Regular w/tinplated rails Regular w/stainless rails O-72 WYE Switch transition section 6.89" Centers	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65 12.60 11.65 12.60 11.65	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-133/4 TR-135/6 TR-233/4 TR-235/6 TR-143/4 TR-145/6 TR-243/4 TR-245/6 TR-141	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" "Phantom" w/stainless outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/stainless outside rails Regular w/stainless rails O-72 Switch transition section 4.57" Centers "Phantom" w/tinplated outside rails Regular w/stainless outside rails Regular w/tinplated outside rails Regular w/tinplated rails Regular w/tinplated rails Regular w/tinplated rails Regular w/stainless rails O-72 WYE Switch transition section 6.89" Centers 72 WYE "Phantom" w/tinplated outside rails	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65 12.60 11.65 12.60 11.65	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TR-102 TR-201 TR-202 TR-113/4 TR-115/6 TR-213/4 TR-215/6 TR-135/6 TR-233/4 TR-235/6 TR-235/6 TR-143/4 TR-145/6 TR-245/6	Specify desired center to center distance for 100" radius Switch Made With PLASTIC Ties Only "Phantom" w/tinplated outside rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/tinplated rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" Regular w/stainless rails 3.5, 4.21 or 5" O-42 Switch transition section 4.21" Centers "Phantom" w/tinplated outside rails "Phantom" w/stainless outside rails Regular w/tinplated rails Regular w/stainless rails O-54 Switch transition section 5.45" Centers "Phantom" w/tinplated outside rails "Phantom" w/tinplated rails Regular w/tinplated rails Regular w/stainless rails O-72 Switch transition section 4.57" Centers "Phantom" w/stainless outside rails Regular w/tinplated outside rails Regular w/tinplated rails Regular w/stainless rails O-72 WYE Switch transition section 6.89" Centers	each each each each each each each each	15.05 14.20 15.05 9.90 11.00 9.90 11.00 11.65 12.60 11.65 12.60 11.65 12.60 11.65	

		S-42 Switch transition section - 4.21" Centers - Wood Ties Only			
1	TR-403/4	S-Gauge Regular with Tinplated Rails	each	9.00	
1	TR-405/6	S-Gauge Regular with Stainless Rails	each	9.50	
		O-54 Switch Makeup Curves			
1	MU-101-54	O54 Makeup curve "Phantom" Tinplate	each	11.45	
1	MU-102 54	O-54 Makeup curve "Phantom" Stainless	each	12.25	
		O-72 Switch Makeup Curves for Plastic Tie Track			
1	MU-101-72	O-72 Makeup curve "Phantom" Tinplate	each	12.10	
1	MU-102-72	O-72 Makeup curve "Phantom" Stainless	each	12.90	
1	MU-201-72	O-72 Makeup curve Regular Tinplate	each	12.10	
1	MU-202-72	O-72 Makeup curve Regular Stainless	each	12.90	
		O-72 Switch Makeup Curves for Wood Tie Track			
1	WT-MU-101-72	O-72 Makeup curve "Phantom" Tinplate	each	11.45	
1	WT-MU-102-72	O-72 Makeup curve "Phantom" Stainless	each	12.25	
1	WT-MU-201-72	O-72 Makeup curve Regular Tinplate	each	11.45	
1	WT-MU-202-72	O-72 Makeup curve Regular Stainless	each	12.25	